

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 06/22/2015 Version: 1.0

SECTION 1: Identific	ation	
1.1. Identification		
Product form		: Substance
Substance name		: 2-n-Propoxy-6-Methylpyrazine
CAS-No.		: 67845-28-7
Product code		: (US) 8260P
1.2. Recommended u	ise and restrictio	ons on use
No additional information ava	ailable	
1.3. Supplier		
Synerzine 5340 Hwy 42 S Ellenwood Coorgin 20204 - U	C A	
Ellenwood, Georgia 30294 - U T 404-524-6744 - F 404-577-1 info@synerzine.com - www.sy	1651	
1.4. Emergency telep	ohone n <u>umber</u>	
Emergency number		: Infotrac 1-800-535-5053 (Contract# 102471) Dial +1-352-323-3500 when outside the US
SECTION 2: Hazard(s) identificatio	on
2.1. Classification of	f the substance o	or mixture
GHS-US classification		
Flammable liquids Category	H227	Combustible liquid
4 Skin corrosion/irritation	H315	Causes skin irritation
Category 2 Serious eye damage/eye irritation Category 2A	H319	Causes serious eye irritation
Specific target organ toxicity (single exposure) Category 3	Н335	May cause respiratory irritation
Full text of H statements : see s	section 16	
	ents, including p	recautionary statements
GHS-US labeling Hazard pictograms (GHS-US)		
nazaru pictogranis (GHS-US)		
Signal word (GHS-US)		: Warning
Hazard statements (GHS-US)		: H227 - Combustible liquid H315 - Causes skin irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation

smoking. heat, hot surfaces, open flames, sparks P261 - Avoid breathing fume, gas, mist, spray, vapors.

P271 - Use only outdoors or in a well-ventilated area.

lenses, if present and easy to do. Continue rinsing P312 - Call a doctor, a POISON CENTER if you feel unwell

P264 - Wash hands, forearms and face thoroughly after handling.

P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention. P362 - Take off contaminated clothing and wash before reuse.

P302+P352 - If on skin: Wash with plenty of soap and water

: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

P280 - Wear eye protection, face protection, protective clothing, protective gloves.

P321 - Specific treatment (see supplemental first aid instructions on this label)

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

Precautionary statements (GHS-US)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P370+P378 - In case of fire: Use alcohol resistant foam, dry sand to extinguish.

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P403+P235 - Store in a well-ventilated place. Keep cool.

P405 - Store locked up.

P501 - Dispose of contents/container to an approved waste disposal plant

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Name	Product identifier	%	GHS-US classification
2-n-Propoxy-6-Methylpyrazine (Main constituent)	(CAS-No.) 67845-28-7	99 - 100	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335

Full text of hazard classes and H-statements : see section 16

3.2. Mixtures Not applicable SECTION 4: First-aid measures Description of first aid measures 4.1. First-aid measures general : Call a poison center/doctor/physician if you feel unwell. First-aid measures after inhalation Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor/physician if you feel unwell. First-aid measures after skin contact Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. First-aid measures after eye contact Continue rinsing. If eye irritation persists: Get medical advice/attention. First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell. 4.2. Most important symptoms and effects (acute and delayed) Symptoms/effects after inhalation : May cause respiratory irritation. Symptoms/effects after skin contact : Irritation. Symptoms/effects after eye contact : Eye irritation. 4.3. Immediate medical attention and special treatment, if necessary Treat symptomatically. SECTION 5: Fire-fighting measures 5.1. Suitable (and unsuitable) extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide. Suitable extinguishing media 5.2. Specific hazards arising from the chemical Fire hazard : Combustible liquid. Reactivity : The product is non-reactive under normal conditions of use, storage and transport. Special protective equipment and precautions for fire-fighters 5.3. Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. SECTION 6: Accidental release measures Personal precautions, protective equipment and emergency procedures 6.1. 6.1.1. For non-emergency personnel **Emergency procedures** : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing fume, gas, mist, spray, vapors. Avoid contact with skin and eyes.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for conta	inment and cleaning up
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section 13.	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid breathing fume, gas, mist, vapors, spray. Avoid contact with skin and eyes.
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

Conditions for safe storage, including any incompatibilities 7.2.

Storage conditions

: Store in a well-ventilated place. Keep cool. Store locked up. Keep container tightly closed.

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

No additional information available

8.2. Appropriate engineering contro	ls
Appropriate engineering controls	: Ensure good ventilation of the work station.
Environmental exposure controls	: Avoid release to the environment.
8.3. Individual protection measures	/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

SECTION 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties		
Appearance	: Colorless to amber liquid.	
Color	: colorless to amber	
Odor	: green-woody	
Odor threshold	: No data available	
рН	: No data available	
Melting point	: Not applicable	
Freezing point	: No data available	
06/22/2018	EN (English US)	3/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Boiling point	: 190 °C
Flash point	: 160 °F TCC
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Specific gravity / density	: $1.005 - 1.018 \text{ g/cm}^3$
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological eff	ects	
Acute toxicity	: Not classified	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
Specific target organ toxicity – single exposure	: May cause respiratory irritation.	
Specific target organ toxicity – repeated exposure	: Not classified	
Aspiration hazard	: Not classified	
Symptoms/effects after inhalation	: May cause respiratory irritation.	
Symptoms/effects after skin contact	: Irritation.	
Symptoms/effects after eye contact	: Eye irritation.	
06/22/2018	EN (English US)	4/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ECTION 12: Ecological informatic 2.1. Toxicity	
cology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
2.2. Persistence and degradability	
o additional information available	
2.3. Bioaccumulative potential	
lo additional information available	
2.4. Mobility in soil	
o additional information available	
2.5. Other adverse effects	
ECTION 13: Disposal consideration	ons
3.1. Disposal methods	
Vaste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
ECTION 14: Transport informatio	n
epartment of Transportation (DOT)	
n accordance with DOT	
ransport document description	: NA1993 Combustible liquid, n.o.s., 3, III
N-No.(DOT)	: NA1993
roper Shipping Name (DOT)	: Combustible liquid, n.o.s.
lass (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
acking group (DOT)	: III - Minor Danger
OT Packaging Non Bulk (49 CFR 173.xxx)	: 203
OT Packaging Bulk (49 CFR 173.xxx)	: 241
OT Symbols	: D - Proper shipping name for domestic use only, or to and from Canada, G - Identifies PSN requiring
	a technical name
OT Special Provisions (49 CFR 172.102)	: IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).
	T1 - 1.5 178.274(d)(2) Normal 178.275(d)(2) T4 - 2.65 178.274(d)(2) Normal 178.275(d)(3)
	TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.
OT Packaging Exceptions (49 CFR 173.xxx)	: 150
OT Quantity Limitations Passenger aircraft/rail	: 60 L
49 CFR 173.27) OT Quantity Limitations Cargo aircraft only (49 FR 175.75)	: 220 L
49 CFR 173.27) OT Quantity Limitations Cargo aircraft only (49	 : 220 L : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Transportation of Dangerous Goods

Transport by sea

Air transport

SECTION 15: Regulatory information

15.1. US Federal regulations

2-n-Propoxy-6-Methylpyrazine (67845-28-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA No additional information available

EU-Regulations No additional information available

National regulations No additional information available

15.3. US State regulations

No additional information available

SECTION 16: Other information

H227	Combustible liquid	
H315	Causes skin irritation	
H319	Causes serious eve irritation	
Н335	May cause respiratory irritation	
NFPA health hazard	: 2 - Materials that, under emergency conditions, can cause	
NFPA fire hazard	 2 - Materials that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur. 	
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.	
Hazard Rating		
Health	: 2 Moderate Hazard - Temporary or minor injury may occur	
Flammability	 2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F bu below 200 F. (Classes II & IIIA) 	
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NO react with water, polymerize, decompose, condense, or self-react. Non-Explosives.	
Personal protection	: C	
	C - Safety glasses, Gloves, Synthetic apron	

Synerzine US

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product