

SECTION 1: Identification

Date of issue: 05/22/2015 Version: 1.0

1.1. Identification	
Product form	: Substance
Substance name	: Thiazole, 2-(2-methylpropyl)-
CAS-No.	: 18640-74-9
Product code	: (US) T712
Formula	: C7H11NS
Synonyms	: 2-Isobutylthiazole / 2-Isobutyl thiazole / 2-(2-Methylpropyl)thiazole
	and restrictions on use
No additional information availab	Э
1.3. Supplier	
Synerzine 5340 Hwy 42 S	
Ellenwood, Georgia 30294 - USA	
Т 404-524-6744 - F 404-577-165	
nfo@synerzine.com - <u>www.syner</u>	
1.4. Emergency telepho	
Emergency number	: Infotrac 1-800-535-5053 (Contract# 102471) Dial +1-352-323-3500 when outside the US
SECTION 2: Hazard(s) i	entification
2.1. Classification of th	e substance or mixture
GHS-US classification	
Flammable liquids Category H 3	26 Flammable liquid and vapour
	15 Causes skin irritation
8 1	Causes serious eye irritation
	35 May cause respiratory irritation
Full text of H statements : see sec	on 16
2.2. GHS Label element	, including precautionary statements
GHS-US labeling	
Hazard pictograms (GHS-US)	
	$\langle \langle \langle \rangle \rangle \langle \rangle \rangle$
Signal word (GHS-US)	: Warning
Hazard statements (GHS-US)	: H226 - Flammable liquid and vapour
	H315 - Causes skin irritation
	H319 - Causes serious eye irritation H335 - May cause respiratory irritation
Precautionary statements (GHS-U	
i i ceautionary statements (UIIS-U	smoking. heat, hot surfaces, open flames, sparks
	P233 - Keep container tightly closed.
	P240 - Ground/Bond container and receiving equipment
	P241 - Use explosion-proof electrical, lighting, ventilating equipment P242 - Use only non-sparking tools.
	P243 - Take precautionary measures against static discharge.
	P261 - Avoid breathing dust, fume, gas, mist, spray, vapors.
	P264 - Wash hands, forearms and face thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area.
	P271 - Ose only outdoors of in a wen-ventilated area. P280 - Wear protective gloves, protective clothing, face protection, face shield.
	P302+P352 - If on skin: Wash with plenty of soap and water
06/22/2018	EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8				
	with water/shower P304+P340 - If inhaled: P305+P351+P338 - If in lenses, if present and ea P312 - Call a POISON CE P332+P313 - If skin irri P337+P313 - If eye irrit P362 - Take off contami P370+P378 - In case of P403+P233 - Store in a P403+P235 - Store in a P405 - Store locked up.	Remove person to fresh air a eyes: Rinse cautiously with v sy to do. Continue rinsing NTER, a doctor if you feel unv tation occurs: Get medical adv ation persists: Get medical ad nated clothing and wash befo fire: Use dry sand, alcohol res well-ventilated place. Keep co	nd keep com vater for sev vice/attentio vice/attentio re reuse. istant foam t istant foam t ntainer tight	eral minutes. Remove contact n. on. to extinguish. tly closed.
	•	nts/container to an approved	waste dispo	sal plant
2.3. Other hazards which do not re	sult in classification			
No additional information available				
2.4. Unknown acute toxicity (GHS L	12)			
Not applicable				
SECTION 3: Composition/Informa	ation on ingredients			
3.1. Substances				
Name		Product identifier	%	GHS-US classification
Thiazole, 2-(2-methylpropyl)- (Main constituent)		(CAS-No.) 18640-74-9	98 - 100	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Full text of hazard classes and H-statements : see	e section 16			
3.2. Mixtures				
Not applicable				
SECTION 4: First-aid measures				
I.1. Description of first aid measur	res			
irst-aid measures general	: Call a poison center/do	Call a poison center/doctor/physician if you feel unwell. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).		
First-aid measures after inhalation	center/doctor/physicia	Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor/physician if you feel unwell. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.		
First-aid measures after skin contact	: Rinse skin with water/s irritation occurs: Get me contaminated clothing b	Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. If skin irritation occurs: Get medical advice/attention. Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs: Wash with plenty of soap and water. Get medical advice/attention. Specific treatment (see first aid measures on this label).		
⁷ irst-aid measures after eye contact	Continue rinsing. If eye	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If eye irritation persists: Rinse immediately with plenty of water. Get medical advice/attention.		
irst-aid measures after ingestion		Call a poison center/doctor/physician if you feel unwell. Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.		
.2. Most important symptoms and	effects (acute and dela	yed)		
Potential Adverse human health effects and symptoms	: Based on available data,	the classification criteria are	not met.	
Symptoms/effects after inhalation	: May cause respiratory in	rritation.		
Symptoms/effects after skin contact	: Irritation. Causes skin ir	ritation.		
Symptoms/effects after eye contact	: Eye irritation. Causes se	rious eye irritation.		

Symptoms/effects after eye contact : Eye irritation. Causes serious eye irritation.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures		
5.1. Suitable (and unsuitable) extin	guishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide. Sand.	
Unsuitable extinguishing media	: Do not use a heavy water stream.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 58 / Monday,	March 26, 2012 / Rules and Regulations
5.2. Specific hazards arising from t	he chemical
Fire hazard	: Flammable liquid and vapour.
Explosion hazard	: May form flammable/explosive vapor-air mixture.
Reactivity	: Flammable liquid and vapour.
5.3. Special protective equipment a	and precautions for fire-fighters
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release m	easures
6.1. Personal precautions, protecti	ve equipment and emergency procedures
General measures	: Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing dust, fume, gas, mist, spray, vapors. Avoid contact with skin and eyes. Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
Avoid release to the environment. Prevent entry	to sewers and public waters. Notify authorities if liquid enters sewers or public waters.
6.3. Methods and material for cont	ainment and cleaning up
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section 13. See H	leading 8. Exposure controls and personal protection.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	-
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable.
Precautions for safe handling	 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Use only outdoors or in a well- ventilated area. Avoid breathing dust, fume, gas, spray, vapors, mist. Avoid contact with skin and eyes. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. No open flames. No smoking.
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wash hands thoroughly after handling.
7.2. Conditions for safe storage, in	cluding any incompatibilities
Technical measures	: Ground/bond container and receiving equipment. Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof chemical equipment.
Storage conditions	: Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up. Keep only in the original container in a cool, well ventilated place away from : Heat sources.
Incompatible products	: Strong bases. Strong acids.
In a survey at the last strategical a	Compared Charles Disease all but Hand and and

Incompatible materials

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls Environmental exposure controls : Ensure good ventilation of the work station.

: Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Protective gloves. Wear protective gloves.

Eye protection:

Safety glasses. Chemical goggles or safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Wear appropriate mask

Other information:

Do not eat, drink or smoke during use.

9.1. Information on basic physical and chemical propertiesPhysical state: LiquidColor: Colorless to pale yellowOdor: strong TomatoOdor threshold: No data availablepH: No data availableMelting point: Not applicableFreezing point: No data availableBoiling point: 138 °CFlash point: 138 °F closed cup	
Color:Colorless to pale yellowOdor:strong TomatoOdor threshold:No data availablepH:No data availableMelting point:Not applicableFreezing point:No data availableBoiling point:180 °C	
Odor: strong TomatoOdor threshold: No data availablepH: No data availableMelting point: Not applicableFreezing point: No data availableBoiling point: 180 °C	
Odor threshold:No data availablepH:No data availableMelting point:Not applicableFreezing point:No data availableBoiling point:180 °C	
pH:No data availableMelting point:Not applicableFreezing point:No data availableBoiling point:180 °C	
Melting point : Not applicable Freezing point : No data available Boiling point : 180 °C	
Freezing point : No data available Boiling point : 180 °C	
Boiling point : 180 °C	
81	
Flash point : 138 °F closed cup	
Relative evaporation rate (butyl acetate=1) : No data available	
Flammability (solid, gas) : Not applicable. Flammable liquid and vapour.	
Vapor pressure : No data available	
Relative vapor density at 20 °C : No data available	
Relative density : No data available	
Specific gravity / density : 0.995 - 1.005 20/20	
Molecular mass : 141.24 g/mol	
Solubility : Soluble in water and common organic solvents.	
Log Pow : No data available	
Auto-ignition temperature : No data available	
Decomposition temperature : No data available	
Viscosity, kinematic : No data available	
Viscosity, dynamic : No data available	
Explosion limits : No data available	
06/22/2018 EN (English US)	4/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Explosive properties

Oxidizing properties

: No data available : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapour.

10.2. Chemical stability

Stable under normal conditions. Flammable liquid and vapour. May form flammable/explosive vapor-air mixture.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Not established.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition. Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Sparks.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

SECTION 11: Toxicological information

Information on toxicological effects 11.1. Acute toxicity : Not classified Skin corrosion/irritation Causes skin irritation. : Causes serious eye irritation. Serious eye damage/irritation Respiratory or skin sensitization Not classified Germ cell mutagenicity Not classified : Not classified Carcinogenicity Reproductive toxicity : Not classified Specific target organ toxicity - single exposure : May cause respiratory irritation. Specific target organ toxicity – repeated exposure Not classified : Aspiration hazard : Not classified Potential Adverse human health effects and : Based on available data, the classification criteria are not met. symptoms Symptoms/effects after inhalation : May cause respiratory irritation. Symptoms/effects after skin contact : Irritation. Causes skin irritation. Symptoms/effects after eye contact : Eye irritation. Causes serious eye irritation.

SECTION 12: Ecological information 12.1. Toxicity Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. 12.2. Persistence and degradability

Thiazole, 2-(2-methylpropyl)- (18640-74-9)	
Persistence and degradability	Not established.
L2.3. Bioaccumulative potential	
Thiazole, 2-(2-methylpropyl)- (18640-74-9)	
Bioaccumulative potential	Not established.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.4. Mobility in soil

No additional information available 12.5. Other adverse effects

Other information

: Avoid release to the environment.

SECTION 13: Disposal considerations		
13.1. Disposal methods		
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.	
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to manufactur's suggestion for disposal.	
Additional information	: Flammable vapors may accumulate in the container. Handle empty containers with care because residual vapors are flammable.	
Ecology - waste materials	: Avoid release to the environment.	

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

DOT Symbols

Transport document description UN-No.(DOT) Proper Shipping Name (DOT) Class (DOT) Packing group (DOT) Hazard labels (DOT) : UN1993 Flammable liquids, n.o.s., 3, III

- : UN1993
- : Flammable liquids, n.o.s.
- : 3 Class 3 Flammable and combustible liquid 49 CFR 173.120
- : III Minor Danger
- : 3 Flammable liquid



: 203

DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx)

· G-Ident

- DOT Special Provisions (49 CFR 172.102)
- : 242
- : G Identifies PSN requiring a technical name
- : B1 If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable.

B52 - Notwithstanding the provisions of 173.24b of this subchapter, non-reclosing pressure relief devices are authorized on DOT 57 portable tanks.

IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T4 - 2.65 178.274(d)(2) Normal..... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP29 - A portable tank having a minimum test pressure of 1.5 bar (150.0 kPa) may be used provided the calculated test pressure is 1.5 bar or less based on the MAWP of the hazardous materials, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.

DOT Packaging Exceptions (49 CFR 173.xxx)

DOT Quantity Limitations Passenger aircraft/rail : 60 L (49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 220 L CFR 175.75)

: 150

Safety Data Sheet

DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Other information	: No supplementary information available.
Transportation of Dangerous Goods	
Transport by sea	
Transport document description (IMDG)	: UN 1993 FLAMMABLE LIQUID, N.O.S., 3, III
UN-No. (IMDG)	: 1993
Proper Shipping Name (IMDG)	: FLAMMABLE LIQUID, N.O.S.
Class (IMDG)	: 3 - Flammable liquids
Packing group (IMDG)	: III - substances presenting low danger
Limited quantities (IMDG)	: 5L
Air transport	
Transport document description (IATA)	: IIN 1993 Flammable liquid. n.o.s. 3. III

Transport document description (IATA)	: UN 1993 Flammable liquid, n.o.s., 3,
UN-No. (IATA)	: 1993
Proper Shipping Name (IATA)	: Flammable liquid, n.o.s.
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: III - Minor Danger

SECTION 15: Re	gulatory information
----------------	----------------------

15.1. US Federal regulations

Thiazole, 2-(2-methylpropyl)- (18640-74-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

Thiazole, 2-(2-methylpropyl)- (18640-74-9)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

Thiazole, 2-(2-methylpropyl)- (18640-74-9)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

National regulations

Thiazole, 2-(2-methylpropyl)- (18640-74-9)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

15.3. US State regulations

No additional information available

SECTION 16: Other information Other information : None.

Full text of H-phrases:

Flammable liquid and vapour
Causes skin irritation
Causes serious eye irritation
May cause respiratory irritation

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 0 - Materials that, under emergency conditions, would offer no hazard beyond that of ordinary combustible materials.
NFPA fire hazard	: 2 - Materials that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur.
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.
Hazard Rating	
Health	: 0 Minimal Hazard - No significant risk to health
Flammability	: 2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II & IIIA)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Synerzine US

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product