

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 06/15/2015 Version: 1.0

# SECTION 1: Identification

# Identification

Product form : Substance Isoamyl acetate Substance name CAS-No. 123-92-2 Product code : (US) W01339 Formula : C7H14O2

1-Butanol, 3-methyl-, 1-acetate / Amyl acetate, iso- / 3-Methyl-1-butanol, acetate / 3-Methylbutyl Synonyms acetate / 3-Methyl-1-butyl acetate / 3-Methyl-1-butanol acetate / Isopentyl alcohol, acetate / 1-

Butanol, 3-methyl-, acetate / Acetic acid, isopentyl ester / (3-Methylbutyl)acetate / Ethyl acetate /

Acetate, 3-methylbutyl / Isopentyl acetate / ISOAMYL ACETATE

# Recommended use and restrictions on use

No additional information available

#### 1.3. Supplier

Synerzine 5340 Hwy 42 S Ellenwood, Georgia 30294 - USA T 404-524-6744 - F 404-577-1651 info@synerzine.com - www.synerzine.com

#### 1.4. Emergency telephone number

: Infotrac 1-800-535-5053 (Contract# 102471) Dial +1-352-323-3500 when outside the US Emergency number

# SECTION 2: Hazard(s) identification

# Classification of the substance or mixture

# GHS-US classification

Flammable liquids Category H226 Flammable liquid and vapour

Specific target organ toxicity

H335 May cause respiratory irritation

(single exposure) Category 3

Hazardous to the aquatic H402 Harmful to aquatic life

environment - Acute Hazard

Category 3

Full text of H statements: see section 16

#### GHS Label elements, including precautionary statements

#### **GHS-US** labeling

Hazard pictograms (GHS-US)





Signal word (GHS-US) : Warning

Hazard statements (GHS-US) : H226 - Flammable liquid and vapour H335 - May cause respiratory irritation

H402 - Harmful to aquatic life

Precautionary statements (GHS-US) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. heat, open flames, hot surfaces, sparks

P233 - Keep container tightly closed.

P240 - Ground/Bond container and receiving equipment

P241 - Use explosion-proof electrical, lighting, ventilating equipment

P242 - Use only non-sparking tools.

P243 - Take precautionary measures against static discharge. P261 - Avoid breathing fume, gas, mist, spray, vapors.

P271 - Use only outdoors or in a well-ventilated area. P273 - Avoid release to the environment.

P280 - Wear eye protection, face protection, protective clothing, protective gloves.

06/22/2018 EN (English US) Page 1

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin

with water/shower

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing

P312 - Call a doctor, a POISON CENTER if you feel unwell

 $P370 + P378 - In \ case \ of \ fire: \ Use \ alcohol \ resistant \ foam, \ carbon \ dioxide \ (CO2), \ dry \ sand \ to$ 

extinguish.

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P403+P235 - Store in a well-ventilated place. Keep cool.

P405 - Store locked up.

P501 - Dispose of contents/container to an approved waste disposal plant

#### 2.3. Other hazards which do not result in classification

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

# SECTION 3: Composition/Information on ingredients

#### 3.1. Substances

| Name                                  | Product identifier | %        | GHS-US classification  |
|---------------------------------------|--------------------|----------|--|
| Isoamyl acetate<br>(Main constituent) | (CAS-No.) 123-92-2 | 98 - 100 | Flam. Liq. 3, H226<br>STOT SE 3, H335<br>Aquatic Acute 3, H402 |

Full text of hazard classes and H-statements: see section 16

#### 3.2. Mixtures

Not applicable

# SECTION 4: First-aid measures

#### 4.1. Description of first aid measures

First-aid measures general : Call a poison center/doctor/physician if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a poison

center/doctor/physician if you feel unwell.

First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

# 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : May cause respiratory irritation.

# 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

### SECTION 5: Fire-fighting measures

# 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

# 5.2. Specific hazards arising from the chemical

Fire hazard : Flammable liquid and vapour.

Reactivity : Flammable liquid and vapour.

# 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

# SECTION 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

#### **6.1.1.** For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing fume, gas, spray, mist, vapors.

06/22/2018 EN (English US) 2/7

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

# 6.2. Environmental precautions

Avoid release to the environment.

# 6.3. Methods and material for containment and cleaning up

Methods for cleaning up

 $: \ \, \text{Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public}$ 

waters.

Other information

: Dispose of materials or solid residues at an authorized site.

# 6.4. Reference to other sections

For further information refer to section 13.

# SECTION 7: Handling and storage

# 7.1. Precautions for safe handling

Precautions for safe handling

: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid breathing fume, gas, mist, spray, vapors.

Hygiene measures

: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

# 7.2. Conditions for safe storage, including any incompatibilities

Technical measures

: Ground/bond container and receiving equipment.

Storage conditions

: Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

# SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

| Isoamyl acetate (123-92-2) |                         |                             |
|----------------------------|-------------------------|-----------------------------|
| ACGIH                      | Local name              | Pentyl acetate, all isomers |
| ACGIH                      | ACGIH TWA (ppm)         | 50 ppm                      |
| ACGIH                      | ACGIH STEL (ppm)        | 100 ppm                     |
| OSHA                       | OSHA PEL (TWA) (mg/m³)  | 525 mg/m <sup>3</sup>       |
| OSHA                       | OSHA PEL (TWA) (ppm)    | 100 ppm                     |
| IDLH                       | US IDLH (ppm)           | 1000 ppm                    |
| NIOSH                      | NIOSH REL (TWA) (mg/m³) | 525 mg/m <sup>3</sup>       |
| NIOSH                      | NIOSH REL (TWA) (ppm)   | 100 ppm                     |

# 8.2. Appropriate engineering controls

Appropriate engineering controls

: Ensure good ventilation of the work station.

Environmental exposure controls

: Avoid release to the environment.

# 8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

06/22/2018 EN (English US) 3/7

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

In case of insufficient ventilation, wear suitable respiratory equipment

# SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Colorless liquid.
Color : Colorless

Odor : banana-like pear-like
Odor threshold : No data available
pH : No data available

Melting point : -78.5 °C

Freezing point : No data available

Boiling point :  $142 \, ^{\circ}\text{C}$ Flash point :  $77 \, ^{\circ}\text{F TCC}$ Relative evaporation rate (butyl acetate=1) :  $0.42 \,$ 

Flammability (solid, gas) : Not applicable. Vapor pressure : 4 mm Hg (at 20 °C) Relative vapor density at 20 °C : No data available Relative density No data available : 0.876 g/cm<sup>3</sup> @ 25°C Specific gravity / density Molecular mass 130.18 g/mol Solubility : No data available Log Pow : No data available

Auto-ignition temperature : 379 °C

Decomposition temperature : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosion limits : No data available
Explosive properties : No data available
Oxidizing properties : No data available

# 9.2. Other information

No additional information available

# SECTION 10: Stability and reactivity

# 10.1. Reactivity

Flammable liquid and vapour.

# 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

# 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

# 10.5. Incompatible materials

No additional information available

# 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# SECTION 11: Toxicological information

# 11.1. Information on toxicological effects

Acute toxicity : Not classified

06/22/2018 EN (English US) 4/7

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Skin corrosion/irritation: Not classifiedSerious eye damage/irritation: Not classifiedRespiratory or skin sensitization: Not classifiedGerm cell mutagenicity: Not classifiedCarcinogenicity: Not classifiedReproductive toxicity: Not classified

Specific target organ toxicity – single exposure : May cause respiratory irritation.

Specific target organ toxicity – repeated exposure : Not classified

Aspiration hazard : Not classified

Symptoms/effects after inhalation : May cause respiratory irritation.

# SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general : Harmful to aquatic life.

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Other adverse effects

No additional information available

# SECTION 13: Disposal considerations

#### 13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Additional information : Flammable vapors may accumulate in the container.

# SECTION 14: Transport information

#### **Department of Transportation (DOT)**

In accordance with DOT

Transport document description : UN1104 Amyl acetates, 3, III

UN-No.(DOT) : UN1104
Proper Shipping Name (DOT) : Amyl acetates

Class (DOT) : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

Packing group (DOT) : III - Minor Danger Hazard labels (DOT) : 3 - Flammable liquid



DOT Packaging Non Bulk (49 CFR 173.xxx) : 203 DOT Packaging Bulk (49 CFR 173.xxx) : 242

06/22/2018 EN (English US) 5/7

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)

B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable.

IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T2 - 1.5 178.274(d)(2) Normal...... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.

DOT Packaging Exceptions (49 CFR 173.xxx) : 150

DOT Quantity Limitations Passenger aircraft/rail : 60 L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49

CFR 175.75)

: 220 L

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger

vessel

Other information : No supplementary information available.

#### **Transportation of Dangerous Goods**

#### Transport by sea

Transport document description (IMDG) : UN 1104 AMYL ACETATES, 3, III

UN-No. (IMDG) : 1104

Proper Shipping Name (IMDG) : AMYL ACETATES

Class (IMDG) : 3 - Flammable liquids

Packing group (IMDG) : III - substances presenting low danger

 $Limited \ quantities \ (IMDG) \\ \hspace{2cm} : \ 5 \ L$ 

#### Air transport

Transport document description (IATA) : UN 1104 Amyl acetates, 3, III

UN-No. (IATA) : 1104
Proper Shipping Name (IATA) : Amyl acetates
Class (IATA) : 3 - Flammable Liquids
Packing group (IATA) : III - Minor Danger

# SECTION 15: Regulatory information

# 15.1. US Federal regulations

| Isoamyl acetate (123-92-2)  |
|---|
| Listed on the United States TSCA (Toxic Substances Control Act) inventors |

CERCLA RQ 5000 lb listed under Amyl acetate

#### 15.2. International regulations

#### **CANADA**

# Isoamyl acetate (123-92-2)

Listed on the Canadian DSL (Domestic Substances List)

#### **EU-Regulations**

# Isoamyl acetate (123-92-2)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### **National regulations**

06/22/2018 EN (English US) 6/7

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Isoamyl acetate (123-92-2)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on CICR (Turkish Inventory and Control of Chemicals)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

# 15.3. US State regulations

| Isoamyl acetate (123-92-2) |  |
|----------------------------|--|
| State or local regulations | U.S Massachusetts - Right To Know List<br>U.S New Jersey - Right to Know Hazardous Substance List<br>U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List<br>U.S Pennsylvania - RTK (Right to Know) List |

# SECTION 16: Other information

#### Full text of H-phrases:

| Н226 | Flammable liquid and vapour      |
|------|----------------------------------|
| Н335 | May cause respiratory irritation |
| H402 | Harmful to aquatic life          |

NFPA health hazard

: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.


NFPA fire hazard

: 3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions.

NFPA reactivity

: 0 - Material that in themselves are normally stable, even

under fire conditions.



Hazard Rating

Health : 2 Moderate Hazard - Temporary or minor injury may occur

\* - Chronic (long-term) health effects may result from repeated overexposure

Flammability

: 3 Serious Hazard - Materials capable of ignition under almost all normal temperature conditions. Includes flammable liquids with flash points below 73 F and boiling points above 100 F. as well as

liquids with flash points between 73 F and 100 F. (Classes IB & IC)

Physical

0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Personal protection

: C

C - Safety glasses, Gloves, Synthetic apron

#### Synerzine US

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

06/22/2018 EN (English US) 7/7