

# SAFETY DATA SHEET

o-Thiocresol

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 1: Identification of the s	substance/mixture and of the company/undertaking		
1.1. Product identifier			
Product name	o-Thiocresol		
Product number	W0233		
Synonyms; trade names	Benzenethiol, 2-methyl- o-Mercaptotoluene 2-Methylbenzenethiol o-Methylbenzenethiol 2- Methylthiophenol o-Methylthiophenol 2-Thiocresol Toluene-2-thiol 2-Toluenethiol o-Toluenethiol Toluenethiol, ortho- o-Tolyl mercaptan 2-Methylbenzene-1-thiol 2-Tolyl mercaptan, ,		
CAS number	137-06-4		
EC number	205-276-8		
1.2. Relevant identified uses of the	e substance or mixture and uses advised against		
Identified uses	Laboratory chemicals, Manufacture of substances.		
Uses advised against	No specific uses advised against are identified.		
1.3. Details of the supplier of the s	1.3. Details of the supplier of the safety data sheet		
Supplier	Synerzine 5340 Highway 42 Ellenwood, GA 30294 United States +1 404-524-6744 info@synerzine.com		
Contact person	James Elliott		
1.4. Emergency telephone numbe	or in the second se		
Emergency telephone	INFOTRAC +1 352-323-3500 (Reference Contract # 102471)		
SECTION 2: Hazards identificatio	n		
2.1. Classification of the substanc Classification (EC 1272/2008) Physical hazards	e or mixture Not Classified		
Health hazards	Acute Tox. 4 - H302 Skin Corr. 1B - H314 Eye Dam. 1 - H318 STOT SE 3 - H335		
Environmental hazards	Not Classified		
2.2. Label elements			
EC number	205-276-8		
Hazard pictograms	Dapaer		
Signal word	Danger		

Hazard statements	H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H335 May cause respiratory irritation.
Precautionary statements	<ul> <li>P260 Do not breathe vapour/ spray.</li> <li>P261 Avoid breathing vapour/ spray.</li> <li>P264 Wash contaminated skin thoroughly after handling.</li> <li>P270 Do not eat, drink or smoke when using this product.</li> <li>P271 Use only outdoors or in a well-ventilated area.</li> <li>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</li> <li>P301+P312 IF SWALLOWED: Call a POISON CENTRE/doctor if you feel unwell.</li> <li>P303+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.</li> <li>P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.</li> <li>P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.</li> <li>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P310 Immediately call a POISON CENTRE/ doctor.</li> <li>P321 Specific treatment (see medical advice on this label).</li> <li>P363 Wash contaminated clothing before reuse.</li> <li>P403+P233 Store in a well-ventilated place. Keep container tightly closed.</li> <li>P405 Store locked up.</li> <li>P501 Dispose of contents/ container in accordance with national regulations.</li> </ul>

### 2.3. Other hazards

This substance is not classified as PBT or vPvB according to current EU criteria.

SECTION 3: Composition/information on ingredients		
3.1. Substances		
Product name	o-Thiocresol	
CAS number	137-06-4	
EC number	205-276-8	
Chemical formula	C7H8S	
Composition comments	Named component present at ≤100%.	
SECTION 4: First aid measures		
4.1. Description of first aid measu	res	
General information	Get medical attention immediately. Show this Safety Data Sheet to the medical personnel. Chemical burns must be treated by a physician.	
Inhalation	Remove affected person from source of contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Place unconscious person on their side in the recovery position and ensure breathing can take place.	
Ingestion	Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Place unconscious person on their side in the recovery position and ensure breathing can take place. Maintain an open airway. Loosen tight clothing such as collar, tie or belt.	
Skin contact	It is important to remove the substance from the skin immediately. Take off immediately all contaminated clothing. Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes and get medical attention. Chemical burns must be treated by a physician.	

Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes.	
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue. If it is suspected tha volatile contaminants are still present around the affected person, first aid personnel should wear an appropriate respirator or self-contained breathing apparatus. Wash contaminated clothing thoroughly with water before removing it from the affected person, or wear gloves. It may be dangerous for first aid personnel to carry out mouth-to-mouth resuscitation.	
4.2. Most important symptoms and	d effects, both acute and delayed	
General information	See Section 11 for additional information on health hazards. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.	
Inhalation	A single exposure may cause the following adverse effects: Severe irritation of nose and throat. Symptoms following overexposure may include the following: Corrosive to the respiratory tract.	
Ingestion	May cause chemical burns in mouth, oesophagus and stomach. Symptoms following overexposure may include the following: Severe stomach pain. Nausea, vomiting.	
Skin contact	Causes severe burns. Symptoms following overexposure may include the following: Pain or irritation. Redness. Blistering may occur.	
Eye contact	Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness.	
4.3. Indication of any immediate n	nedical attention and special treatment needed	
Notes for the doctor	Treat symptomatically.	
SECTION 5: Firefighting measure	8	
5.1. Extinguishing media		
Suitable extinguishing media	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.	
5.2. Special hazards arising from the substance or mixture		
Specific hazards	Containers can burst violently or explode when heated, due to excessive pressure build-up. This product is toxic. Severe corrosive hazard. Water used for fire extinguishing, which has been in contact with the product, may be corrosive.	

Hazardous combustion products Thermal decomposition or combustion products may include the following substances: Very toxic or corrosive gases or vapours.

5.3. Advice for firefighters Protective actions during Avoid breathing fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, firefighting fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Avoid discharge to the aquatic environment. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities. Special protective equipment for Regular protection may not be safe. Wear chemical protective suit. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to firefighters European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	No action shall be taken without appropriate training or involving any personal risk. Keep unnecessary and unprotected personnel away from the spillage. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Wash thoroughly after dealing with a spillage. Ensure procedures and training for emergency decontamination and disposal are in place. Do not touch or walk into spilled material. Avoid inhalation of vapours and spray/mists. Use suitable respiratory protection if ventilation is inadequate. Avoid contact with skin and eyes. Avoid contact with contaminated tools and objects.
6.2. Environmental precautions	
Environmental precautions	Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment. Large Spillages: Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air).
6.3. Methods and material for cor	ntainment and cleaning up
Methods for cleaning up	Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. This product is corrosive. Provide adequate ventilation. Approach the spillage from upwind. Small Spillages: If the product is soluble in water, dilute the spillage with water and mop it up. Alternatively, or if it is not water-soluble, absorb the spillage with an inert, dry material and place it in a suitable waste disposal container. Large Spillages: If leakage cannot be stopped, evacuate area. Flush spilled material into an effluent treatment plant, or proceed as follows. Contain and absorb spillage with sand, earth or other non-combustible material. Place waste in labelled, sealed containers. Clean contaminated objects and areas thoroughly, observing environmental regulations. The contaminated absorbent may pose the same hazard as the spilled material. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
6.4. Reference to other sections	
Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.
SECTION 7: Handling and storage	ye
7.1. Precautions for safe handling	J
Usage precautions	Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use. Avoid the formation of mists. This product is corrosive. Immediate first aid is imperative. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers.
Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Change work clothing daily before leaving workplace.
7.2. Conditions for safe storage, i	including any incompatibilities
Storage precautions	Store away from incompatible materials (see Section 10). Store in accordance with local regulations. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. Bund storage facilities to prevent soil and water pollution in the event of spillage. The storage area floor should be leak-tight, jointless and not absorbent.
Storage class	Corrosive storage.
Storage class 7.3. Specific end use(s)	Corrosive storage.
-	Corrosive storage. The identified uses for this product are detailed in Section 1.2.
7.3. Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
7.3. Specific end use(s) Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
7.3. Specific end use(s) Specific end use(s) SECTION 8: Exposure controls/P	The identified uses for this product are detailed in Section 1.2.

Protective equipment



Appropriate engineering controls	Provide adequate ventilation. Personal, workplace environment or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Use process enclosures, local exhaust ventilation or other engineering controls as the primary means to minimise worker exposure. Personal protective equipment should only be used if worker exposure cannot be controlled adequately by the engineering control measures. Ensure control measures are regularly inspected and maintained. Ensure operatives are trained to minimise exposure.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with European Standard EN166. Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a full-face respirator may be required instead.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard EN374. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.
Other skin and body protection	Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.
Hygiene measures	Provide eyewash station and safety shower. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Clean equipment and the work area every day. Good personal hygiene procedures should be implemented. Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke. Preventive industrial medical examinations should be carried out. Warn cleaning personnel of any hazardous properties of the product.
Respiratory protection	Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with European Standard EN14387. Full face mask respirators with replaceable filter cartridges should comply with European Standard EN136. Half mask and quarter mask respirators with replaceable filter cartridges should comply with European Standard EN140.
Environmental exposure controls	Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties		
Appearance	Clear liquid.	
Colour	Pale Yellow	
Odour	Garlic Odor Musty Onion Odor Strong Sulfurous Odor	
Odour threshold	Not available.	
рН	Not available.	
Melting point	Not available.	
Initial boiling point and range	172°C	

Summary

### o-Thiocresol

Flash point	64°C / 147°F Method: Closed cup.
Evaporation rate	Not available.
Upper/lower flammability or explosive limits	Not available.
Vapour pressure	Not available.
Vapour density	xxx.x - (Air - 1.0)
Relative density	Not available.
Solubility(ies)	Not available.
Partition coefficient	Not available.
Auto-ignition temperature	Not available.
Decomposition Temperature	Not available.
Viscosity	Not available.
Explosive properties	Not available.
Oxidising properties	Not available.
9.2. Other information	
Molecular weight	xxx.xx g/mol
SECTION 10: Stability and reacti	ivity
10.1. Reactivity	
Reactivity	See the other subsections of this section for further details.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.
10.3. Possibility of hazardous rea	actions
Possibility of hazardous reactions	s No potentially hazardous reactions known.
10.4. Conditions to avoid	
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.
10.5. Incompatible materials	
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
10.6. Hazardous decomposition	products
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Corrosive gases or vapours.
SECTION 11: Toxicological infor	mation
11.1. Information on toxicological	leffects
Acute toxicity - oral	Harmful if swallowed.
Summary	
ATE oral (mg/kg)	500.0
Acute toxicity - dermal Summary	Based on available data the classification criteria are not met.
Acute toxicity - inhalation	
	Parad an available data the eleccification criteria are not mat

Based on available data the classification criteria are not met.

Skin corrosion/irritation Summary	Causes severe skin burns and eye damage.
Serious eye damage/irritation Summary	Causes serious eye damage.
Respiratory sensitisation Summary	Based on available data the classification criteria are not met.
Skin sensitisation Summary	Based on available data the classification criteria are not met.
Germ cell mutagenicity Summary	Based on available data the classification criteria are not met.
Carcinogenicity Summary	Based on available data the classification criteria are not met.
Reproductive toxicity Summary	Based on available data the classification criteria are not met.
Specific target organ toxicity - sing	gle exposure
Summary	May cause respiratory irritation.
Target organs	Respiratory system, lungs
Specific target organ toxicity - rep	eated exposure
Summary	Based on available data the classification criteria are not met.
Aspiration hazard	
Summary	Based on available data the classification criteria are not met.
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Corrosive to the respiratory tract. Symptoms following overexposure may include the following: Severe irritation of nose and throat.
Ingestion	May cause chemical burns in mouth, oesophagus and stomach. Symptoms following overexposure may include the following: Severe stomach pain. Nausea, vomiting.
Skin contact	Causes severe burns. Symptoms following overexposure may include the following: Pain or irritation. Redness. Blistering may occur.
Eye contact	Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness.
Route of exposure	Ingestion Inhalation Skin and/or eye contact
Target organs	Respiratory system, lungs
SECTION 12: Ecological informat	ion
Ecotoxicity	Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.

12.1. Toxicity	
Acute aquatic toxicity	
Summary	Based on available data the classification criteria are not met.
Chronic aquatic toxicity	
Summary	Based on available data the classification criteria are not met.
12.2. Persistence and degradability	

Persistence and degradability	The degradability of the product is not known.
12.3. Bioaccumulative potential	
Bioaccumulative potential	No data available on bioaccumulation.
Partition coefficient	Not available.
12.4. Mobility in soil	
Mobility	No data available.
12.5. Results of PBT and vPvB as	sessment
12.6. Other adverse effects	
Other adverse effects	None known.
SECTION 13: Disposal considerat	tions
13.1. Waste treatment methods	
General information	The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.
Disposal methods	Do not empty into drains. Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Incineration or landfill should only be considered when recycling is not feasible.
SECTION 14: Transport information	n
General	For limited quantity packaging/limited load information, consult the relevant modal documentation using the data shown in this section.
General 14.1. UN number	
14.1. UN number	the data shown in this section.
14.1. UN number UN No. (ADR/RID)	the data shown in this section.
14.1. UN number UN No. (ADR/RID) UN No. (IMDG)	the data shown in this section. 1760 1760
14.1. UN number UN No. (ADR/RID) UN No. (IMDG) UN No. (ICAO)	the data shown in this section. 1760 1760 1760
14.1. UN number UN No. (ADR/RID) UN No. (IMDG) UN No. (ICAO) UN No. (ADN)	the data shown in this section. 1760 1760 1760
14.1. UN number UN No. (ADR/RID) UN No. (IMDG) UN No. (ICAO) UN No. (ADN) 14.2. UN proper shipping name	the data shown in this section. 1760 1760 1760 1760
<ul> <li>14.1. UN number</li> <li>UN No. (ADR/RID)</li> <li>UN No. (IMDG)</li> <li>UN No. (ICAO)</li> <li>UN No. (ADN)</li> <li>14.2. UN proper shipping name</li> <li>Proper shipping name (ADR/RID)</li> </ul>	the data shown in this section. 1760 1760 1760 1760 CORROSIVE LIQUID, N.O.S. (o-Thiocresol)
<ul> <li>14.1. UN number</li> <li>UN No. (ADR/RID)</li> <li>UN No. (IMDG)</li> <li>UN No. (ICAO)</li> <li>UN No. (ADN)</li> <li>14.2. UN proper shipping name</li> <li>Proper shipping name (ADR/RID)</li> <li>Proper shipping name (IMDG)</li> </ul>	the data shown in this section. 1760 1760 1760 1760 CORROSIVE LIQUID, N.O.S. (o-Thiocresol) CORROSIVE LIQUID, N.O.S. (o-Thiocresol)
<ul> <li>14.1. UN number</li> <li>UN No. (ADR/RID)</li> <li>UN No. (IMDG)</li> <li>UN No. (ICAO)</li> <li>UN No. (ADN)</li> <li>14.2. UN proper shipping name (ADR/RID)</li> <li>Proper shipping name (IMDG)</li> <li>Proper shipping name (ICAO)</li> </ul>	the data shown in this section. 1760 1760 1760 1760 CORROSIVE LIQUID, N.O.S. (o-Thiocresol) CORROSIVE LIQUID, N.O.S. (o-Thiocresol) CORROSIVE LIQUID, N.O.S. (o-Thiocresol)
<ul> <li>14.1. UN number</li> <li>UN No. (ADR/RID)</li> <li>UN No. (IMDG)</li> <li>UN No. (ICAO)</li> <li>UN No. (ADN)</li> <li>14.2. UN proper shipping name (ADR/RID)</li> <li>Proper shipping name (IMDG)</li> <li>Proper shipping name (ICAO)</li> <li>Proper shipping name (ADN)</li> </ul>	the data shown in this section. 1760 1760 1760 1760 CORROSIVE LIQUID, N.O.S. (o-Thiocresol) CORROSIVE LIQUID, N.O.S. (o-Thiocresol) CORROSIVE LIQUID, N.O.S. (o-Thiocresol)
<ul> <li>14.1. UN number</li> <li>UN No. (ADR/RID)</li> <li>UN No. (IMDG)</li> <li>UN No. (ICAO)</li> <li>UN No. (ADN)</li> <li>14.2. UN proper shipping name</li> <li>Proper shipping name (ADR/RID)</li> <li>Proper shipping name (IMDG)</li> <li>Proper shipping name (ICAO)</li> <li>Proper shipping name (ADN)</li> <li>14.3. Transport hazard class(es)</li> </ul>	the data shown in this section. 1760 1760 1760 1760 1760 CORROSIVE LIQUID, N.O.S. (o-Thiocresol) CORROSIVE LIQUID, N.O.S. (o-Thiocresol) CORROSIVE LIQUID, N.O.S. (o-Thiocresol) CORROSIVE LIQUID, N.O.S. (o-Thiocresol)
<ul> <li>14.1. UN number</li> <li>UN No. (ADR/RID)</li> <li>UN No. (IMDG)</li> <li>UN No. (ICAO)</li> <li>UN No. (ADN)</li> <li>14.2. UN proper shipping name</li> <li>Proper shipping name (ADR/RID)</li> <li>Proper shipping name (IMDG)</li> <li>Proper shipping name (ICAO)</li> <li>Proper shipping name (ADN)</li> <li>14.3. Transport hazard class(es)</li> <li>ADR/RID class</li> </ul>	the data shown in this section. 1760 1760 1760 1760 CORROSIVE LIQUID, N.O.S. (o-Thiocresol) CORROSIVE LIQUID, N.O.S. (o-Thiocresol) CORROSIVE LIQUID, N.O.S. (o-Thiocresol) CORROSIVE LIQUID, N.O.S. (o-Thiocresol) 8
<ul> <li>14.1. UN number</li> <li>UN No. (ADR/RID)</li> <li>UN No. (IMDG)</li> <li>UN No. (ICAO)</li> <li>UN No. (ADN)</li> <li>14.2. UN proper shipping name (ADR/RID)</li> <li>Proper shipping name (IMDG)</li> <li>Proper shipping name (ICAO)</li> <li>Proper shipping name (ADN)</li> <li>14.3. Transport hazard class(es)</li> <li>ADR/RID class</li> <li>ADR/RID classification code</li> </ul>	the data shown in this section. 1760 1760 1760 1760 CORROSIVE LIQUID, N.O.S. (o-Thiocresol) CORROSIVE LIQUID, N.O.S. (o-Thiocresol) CORROSIVE LIQUID, N.O.S. (o-Thiocresol) CORROSIVE LIQUID, N.O.S. (o-Thiocresol) 8 29
<ul> <li>14.1. UN number</li> <li>UN No. (ADR/RID)</li> <li>UN No. (IMDG)</li> <li>UN No. (ICAO)</li> <li>UN No. (ADN)</li> <li>14.2. UN proper shipping name (ADR/RID)</li> <li>Proper shipping name (IMDG)</li> <li>Proper shipping name (ICAO)</li> <li>Proper shipping name (ADN)</li> <li>14.3. Transport hazard class(es)</li> <li>ADR/RID classification code</li> <li>ADR/RID label</li> </ul>	the data shown in this section. 1760 1760 1760 1760 CORROSIVE LIQUID, N.O.S. (o-Thiocresol) CORROSIVE LIQUID, N.O.S. (o-Thiocresol) CORROSIVE LIQUID, N.O.S. (o-Thiocresol) CORROSIVE LIQUID, N.O.S. (o-Thiocresol) 8 29 8

#### Transport labels



#### 14.4. Packing group

ADR/RID packing group	II
IMDG packing group	11
ICAO packing group	11
ADN packing group	11

#### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant *No.* 

#### 14.6. Special precautions for user

Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

EmS	F-A, S-B
ADR transport category	2
Emergency Action Code	2X
Hazard Identification Number (ADR/RID)	80
Tunnel restriction code	(E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

### SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	Health and Safety at Work etc. Act 1974 (as amended). The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"]. EH40/2005 Workplace exposure limits.
EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Commission Regulation (EU) No 2015/830 of 28 May 2015. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

### 15.2. Chemical safety assessment

Inventories Canada - DSL/NDSL DSL

US - TSCA Present.

**SECTION 16: Other information** 

Abbreviations and acronyms used in the safety data sheet	<ul> <li>ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.</li> <li>ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.</li> <li>RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.</li> <li>IATA: International Air Transport Association.</li> <li>ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.</li> <li>IMDG: International Maritime Dangerous Goods.</li> <li>CAS: Chemical Abstracts Service.</li> <li>ATE: Acute Toxicity Estimate.</li> <li>LC<sub>50</sub>: Lethal Concentration to 50 % of a test population.</li> <li>LD<sub>50</sub>: Lethal Dose to 50% of a test population (Median Lethal Dose).</li> <li>EC<sub>50</sub>: 50% of maximal Effective Concentration.</li> <li>PBT: Persistent, Bioaccumulative and Toxic substance.</li> <li>vPvB: Very Persistent and Very Bioaccumulative.</li> </ul>
Classification abbreviations and acronyms	Acute Tox. = Acute toxicity Eye Dam. = Serious eye damage Skin Corr. = Skin corrosion STOT SE = Specific target organ toxicity-single exposure
Classification procedures according to Regulation (EC) 1272/2008	Acute Tox. 4 - H302: Eye Dam. 1 - H318: Skin Corr. 1B - H314: STOT SE 3 - H335: : Expert judgement.
Training advice	Read and follow manufacturer's recommendations. Only trained personnel should use this material.
Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.
Revision date	20/05/2019
Revision	2
Supersedes date	30/05/2015
SDS number	373
Hazard statements in full	H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H335 May cause respiratory irritation.

End of Safety Data Sheet

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.