

Bicyclo[2.2.1]heptan-2-ol, 1,7,7-trimethyl-,

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 06/05/2015 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Substance name	: Bicyclo[2.2.1]heptan-2-ol, 1,7,7-trimethyl-, formate, endo-
Chemical name	: Bornyl Formate
CAS-No.	: 7492-41-3
Product code	: (US) W027
Formula	: C11H18O2
Synonyms	: Bornyl formate / Bicyclo[2.2.1]heptan-2-ol, 1,7,7-trimethyl-, formate, (1R,2S,4R)-rel- / DL-Bornyl formate / endo-1,7,7-Trimethylbicyclo[2.2.1]hept-2-yl formate

	B		and the state of the second second second	
1.2.	Recommended	use and	restrictions on use	

No additional information available

1.3. Supplier

Synerzine 5340 Hwy 42 S Ellenwood, Georgia 30294 - USA T 404-524-6744 - F 404-577-1651 info@synerzine.com - www.synerzine.com

1.4. Emergency telephone number

Emergency number

: Infotrac 1-800-535-5053 (Contract# 102471) Dial +1-352-323-3500 when outside the US

SECTION 2: Hazard(s) identification			
2.1. Classification o	2.1. Classification of the substance or mixture		
GHS-US classification			
Flammable liquids Category 4	H227	Combustible liquid	
Acute toxicity (oral) Category 4	H302	Harmful if swallowed	
Skin corrosion/irritation Category 2	H315	Causes skin irritation	
Skin sensitization, category 1B	H317	May cause an allergic skin reaction	
Serious eye damage/eye irritation Category 2B	H320	Causes eye irritation	
Full text of H statements : see	section 16		

2.2. GHS Label elements, includ	ing precautionary statements	
GHS-US labeling		
Hazard pictograms (GHS-US)		
Signal word (GHS-US)	: Warning	
Hazard statements (GHS-US)	: H227 - Combustible liquid H302 - Harmful if swallowed H315 - Causes skin irritation H317 - May cause an allergic skin reaction H320 - Causes eye irritation	
Precautionary statements (GHS-US)	 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition smoking. heat, hot surfaces, open flames, sparks P261 - Avoid breathing fume, gas, mist, spray, vapors. P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. 	. sources. No
06/22/2018	EN (English US)	Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

 P272 - Contaminated work clothing must not be allowed out of the workplace P280 - Wear eye protection, face protection, protective clothing, protective gloves. P301+P312 - If swallowed: Call a doctor, a POISON CENTER if you feel unwell P302+P352 - If on skin: Wash with plenty of soap and water P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P321 - Specific treatment (see supplemental first aid instructions on this label) P330 - Rinse mouth. P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If skin irritation persists: Get medical advice/attention. P362 - Take off contaminated clothing and wash before reuse. P362+P364 - Take off contaminated clothing and wash it before reuse. P370+P378 - In case of fire: Use alcohol resistant foam, dry sand to extinguish. P403+P235 - Store in a well-ventilated place. Keep cool. P501 - Dispose of contents/container to an approved waste disposal plant
--

2.3. Other hazards which do not result in classification
--

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances				
Name	Product identifier	%	GHS-US classification	
Bicyclo[2.2.1]heptan-2-ol, 1,7,7-trimethyl-, formate, endo- (Main constituent)	(CAS-No.) 7492-41-3	98 - 100	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Eye Irrit. 2B, H320	

Full text of hazard classes and H-statements : see section 16

3.2. Mixtures	
Not applicable	
SECTION 4: First-aid measures	
4.1. Description of first aid meas	ures
First-aid measures general	: Call a poison center/doctor/physician if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Call a poison center/doctor/physician if you feel unwell.
4.2. Most important symptoms an	d effects (acute and delayed)
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Mild eye irritation.
4.3. Immediate medical attention	and special treatment, if necessary
Treat symptomatically.	
SECTION 5: Fire-fighting measu	res
5.1. Suitable (and unsuitable) ext	inguishing media
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5.2. Specific hazards arising from	the chemical
Fire hazard	: Combustible liquid.
Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
5.3. Special protective equipment	t and precautions for fire-fighters
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release mea	250765
	equipment and emergency procedures
6.1.1. For non-emergency personnel Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing fume, gas, mist, spray, vapors.
6.1.2. For emergency responders Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for contai	nment and cleaning up
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section 13.	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing fume, gas, mist, spray, vapors.
Hygiene measures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, incl	
Storage conditions	: Store in a well-ventilated place. Keep cool.
SECTION 8: Exposure controls/per	sonal protection
8.1. Control parameters	
No additional information available	
8.2. Appropriate engineering control	S
Appropriate engineering controls	: Ensure good ventilation of the work station.
Environmental exposure controls	: Avoid release to the environment.
8.3. Individual protection measures/	Personal protective equipment
Hand protection:	
Protective gloves	
Eye protection:	
Safety glasses	
Skin and body protection:	
Wear suitable protective clothing	
Respiratory protection: In case of insufficient ventilation, wear suitable res	piratory equipment
SECTION 9: Physical and chemical	properties

9.1.	Information	on basic	physical and	chemical	properties

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Appearance	: A light color liquid.
Color	: clear light colored
Odor	: minty aroma
Odor threshold	: No data available
pH	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: 225 - 230 °C
Flash point	: 174 °F closed cup
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Specific gravity / density	: 1.006 - 1.011 g/ml
Molecular mass	: 182.66 g/mol
Solubility	: insoluble in water.
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects		
Acute toxicity	: Not classified	
Bicyclo[2.2.1]heptan-2-ol, 1,7,7-trimethyl-, for	mate, endo- (7492-41-3)	
ATE US (oral)	500 mg/kg body weight	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes eye irritation.	
Respiratory or skin sensitization	: May cause an allergic skin reaction.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Germ cell mutagenicity Carcinogenicity	: Not classified : Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity – single exposure	: Not classified
Specific target organ toxicity – repeated exposure	: Not classified
Aspiration hazard	: Not classified
Symptoms/effects after skin contact Symptoms/effects after eye contact	Irritation. May cause an allergic skin reaction.Mild eye irritation.

SECTION 12: Ecological information		
12.1. Toxicity		
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.	
12.2. Persistence and degradability		
No additional information available		
12.3. Bioaccumulative potential		
No additional information available		
12.4. Mobility in soil		
No additional information available		
12.5. Other adverse effects		

No additional information available

SECTION 13: Disposal considerations			
13.1. Disposal methods			
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.		
SECTION 14: Transport information	tion		
Department of Transportation (DOT)			
In accordance with DOT			
Transport document description	: NA1993 Combustible liquid, n.o.s., 3, III		
UN-No.(DOT)	: NA1993		
Proper Shipping Name (DOT)	: Combustible liquid, n.o.s.		
Class (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120		
Packing group (DOT)	: III - Minor Danger		
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203		
DOT Packaging Bulk (49 CFR 173.xxx)	: 241		
DOT Symbols	: D - Proper shipping name for domestic use only, or to and from Canada,G - Identifies PSN requiring a technical name		
DOT Special Provisions (49 CFR 172.102)	 IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T1 - 1.5 178.274(d)(2) Normal		

during transport, and tf is the temperature in degrees celsius of the liquid during filling.

DOT Packaging Exceptions (49 CFR 173.xxx)

: 150

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Other information	: No supplementary information available.

Transportation of Dangerous Goods

Transport by sea

Air transport

SECTION 15: Regulatory information

15.1. US Federal regulations

No additional information available

15.2. International regulations

CANADA

Bicyclo[2.2.1]heptan-2-ol, 1,7,7-trimethyl-, formate, endo- (7492-41-3)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

Bicyclo[2.2.1]heptan-2-ol, 1,7,7-trimethyl-, formate, endo- (7492-41-3)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

National regulations

Bicyclo[2.2.1]heptan-2-ol, 1,7,7-trimethyl-, formate, endo- (7492-41-3)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

15.3. US State regulations

No additional information available

SECTION 16: Other information

Full text of H-phrases:

	H227	Combustible liquid
	H302	Harmful if swallowed
	H315	Causes skin irritation
	H317	May cause an allergic skin reaction
	H320	Causes eye irritation
NFPA	health hazard	: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.
NFPA	fire hazard	: 2 - Materials that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur.
NFPA	reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hazard Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II & IIIA)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.
Personal protection	: C C - Safety glasses, Gloves, Synthetic apron

Synerzine US

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product