

SAFETY DATA SHEET

3(2H)-Furanone, 4-hydroxy-2,5-dimethyl- (Natural)

According to Appendix D, OSHA Hazard Communication Standard 29 CFR §1910.1200

1. Identification	
Product identifier	
Product name	3(2H)-Furanone, 4-hydroxy-2,5-dimethyl- (Natural)
Product number	W0453N
Synonyms; trade names	Furan-3(2H)-one, 4-hydroxy-2,5-dimethyl- 3(2H)-Furanone, 2,5-dimethyl-4-hydroxy- 4-Hydroxy-2,5- dimethyl-3(2H)-furanone 4-Hydroxy-2,5-dimethylfuran-2(3H)-one Dimethylhydroxy Furanone 4-Hydroxy- 2,5-dimethylfuran-3(2H)-one 2,5-Dimethyl-4-hydroxy-3-furanone DIMETHYLHYDROXY FURANONE Furaneol
CAS number	3658-77-3
Recommended use of the chemi	cal and restrictions on use
Application	Laboratory chemicals, Manufacture of substances.
Uses advised against	No specific uses advised against are identified.
Details of the supplier of the safe	ety data sheet
Supplier	Synerzine 5340 Highway 42 Ellenwood, GA 30294 (404) 524-6744 info@synerzine.com
Contact Person	James Elliott
Emergency telephone number	
Emergency telephone	INFOTRAC 1-800-535-5053 (Reference Contract # 102471)
2. Hazard(s) identification	
Classification of the substance o	r mixture
Physical hazards	Not Classified
Health hazards	Acute Tox. 4 - H302 Skin Corr. 1B - H314 Skin Sens. 1A - H317
Environmental hazards	Not Classified
Label elements	
Hazard symbols	
Signal word	Danger
Hazard statements	H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction.

Precautionary statements	 P260 Do not breathe dust. P261 Avoid breathing dust. P264 Wash contaminated skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing must not be allowed out of the workplace. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P312 If swallowed: Call a poison center/ doctor if you feel unwell. P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting. P302+P352 If on skin: Wash with plenty of water. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a poison center/ doctor. P321 Specific treatment (see medical advice on this label). P333+P313 If skin irritation or rash occurs: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse. P363 Wash contaminated clothing before reuse.
	P362+P364 Take off contaminated clothing and wash it before reuse. P363 Wash contaminated clothing before reuse. P405 Store locked up. P501 Dispose of contents/ container in accordance with national regulations.

Other hazards

This substance is not classified as PBT or vPvB according to current EU criteria.

3. Composition/information on ing	redients
Substances	
Product name	3(2H)-Furanone, 4-hydroxy-2,5-dimethyl- (Natural)
CAS number	3658-77-3
Chemical formula	C6H8O3
Composition comments	Named component present at ≤100%.
4. First-aid measures	
Description of first aid measures	
General information	Get medical attention immediately. Show this Safety Data Sheet to the medical personnel. Chemical burns must be treated by a physician.
Inhalation	Remove affected person from source of contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Place unconscious person on their side in the recovery position and ensure breathing can take place.
Ingestion	Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Place unconscious person on their side in the recovery position and ensure breathing can take place. Maintain an open airway. Loosen tight clothing such as collar, tie or belt.
Skin Contact	It is important to remove the substance from the skin immediately. Take off immediately all contaminated clothing. Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes and get medical attention. Chemical burns must be treated by a physician.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes.

Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue. Wash contaminated clothing thoroughly with water before removing it from the affected person, or wear gloves. It may be dangerous for first aid personnel to carry out mouth-to-mouth resuscitation.	
Most important symptoms and effects, both acute and delayed		
General information	See Section 11 for additional information on health hazards. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.	
Inhalation	A single exposure may cause the following adverse effects: Severe irritation of nose and throat. Symptoms following overexposure may include the following: Corrosive to the respiratory tract.	
Ingestion	May cause sensitization or allergic reactions in sensitive individuals. May cause chemical burns in mouth, esophagus and stomach. Symptoms following overexposure may include the following: Severe stomach pain. Nausea, vomiting.	
Skin contact	May cause skin sensitization or allergic reactions in sensitive individuals. Causes severe burns. Symptoms following overexposure may include the following: Pain or irritation. Redness. Blistering may occur.	
Eye contact	Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness.	
Indication of immediate medical a	ttention and special treatment needed	
Notes for the doctor	Treat symptomatically. May cause sensitization or allergic reactions in sensitive individuals.	
5. Fire-fighting measures		
Extinguishing media		
Suitable extinguishing media	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.	
Special hazards arising from the s	substance or mixture	
Specific hazards	This product is toxic. Severe corrosive hazard. Water used for fire extinguishing, which has been in contact with the product, may be corrosive.	
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Very toxic or corrosive gases or vapors.	
Advice for firefighters		
Protective actions during firefighting	Avoid breathing fire gases or vapors. Evacuate area. Keep upwind to avoid inhalation of gases, vapors, fumes and smoke. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. Avoid discharge to the aquatic environment. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.	
Special protective equipment for firefighters	Regular protection may not be safe. Wear chemical protective suit. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Standard Firefighter's clothing including helmets, protective boots and gloves will provide a basic level of protection for chemical incidents.	
6. Accidental release measures		

Personal precautions, protective equipment and emergency procedures

Personal precautions	No action shall be taken without appropriate training or involving any personal risk. Keep unnecessary and unprotected personnel away from the spillage. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Wash thoroughly after dealing with a spillage. Ensure procedures and training for emergency decontamination and disposal are in place. Do not touch or walk into spilled material. Avoid inhalation of dust. Use suitable respiratory protection if ventilation is inadequate. Avoid contact with skin and eyes. Avoid contact with
	contaminated tools and objects.

Environmental precautions

Environmental precautions	Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment. Large Spillages: Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air).
Methods and material for containm	ent and cleaning up
Methods for cleaning up	Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. This product is corrosive. Provide adequate ventilation. Approach the spillage from upwind. Collect spillage with a shovel and broom, or similar and reuse, if possible. Collect and place in suitable waste disposal containers and seal securely. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.
7. Handling and storage	
Precautions for safe handling	
Usage precautions	Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Keep container tightly sealed when not in use. This product is corrosive. Immediate first aid is imperative. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers.
Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Change work clothing daily before leaving workplace.
Conditions for safe storage, includi	ng any incompatibilities
Storage precautions	Store away from incompatible materials (see Section 10). Store in accordance with local regulations. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. Utilize retaining walls to prevent soil and water pollution in the event of spillage. The storage area floor should be leak-tight, jointless and not absorbent.
Storage class	Corrosive storage.
Specific end uses(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.
8. Exposure controls/Personal pro	tection
Ingredient comments	No exposure limits known for ingredient(s).
Exposure controls	
Protective equipment	
Appropriate engineering controls	Provide adequate ventilation. Personal, workplace environment or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Use process enclosures, local exhaust ventilation or other engineering controls as the primary means to minimize worker exposure. Personal protective equipment should only be used if worker exposure cannot be controlled adequately by the engineering control measures. Ensure control measures are regularly inspected and maintained. Ensure operatives are trained to minimize exposure.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with OSHA 1910.133. Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with OSHA 1910.138 and be demonstrated to be impervious to the chemical and resist degradation. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.
Other skin and body protection	Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.
Hygiene measures	Provide eyewash station and safety shower. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Clean equipment and the work area every day. Good personal hygiene procedures should be implemented. Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke. Preventive industrial medical examinations should be carried out. Warn cleaning personnel of any hazardous properties of the product.
Respiratory protection	Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and is NIOSH approved. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with OSHA 1910.134. Full face mask respirators with replaceable filter cartridges should comply with OSHA 1910.134. Half mask and quarter mask respirators with replaceable filter cartridges should comply with OSHA 1910.134.
Environmental exposure controls	Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

9. Physical and chemical properties

Information on basic physical and chemical properties		
Appearance	Crystalline solid.	
Color	White to Pale Yellow	
Odor	Burnt Caramel Odor Fruity. Sweet	
Odor threshold	Not available.	
рН	Not available.	
Melting point	Not available.	
Initial boiling point and range	215°C/419°F	
Flash point	> 93°C/200°F Method: Closed cup.	
Evaporation rate	Not available.	
Upper/lower flammability or explosive limits	Not available.	
Vapor pressure	Not available.	
Vapor density	Not available.	
Relative density	Not available.	
Solubility(ies)	Not available.	
Partition coefficient	Not available.	
Auto-ignition temperature	Not available.	
Decomposition Temperature	Not available.	
Viscosity	Not available.	

Explosive properties	Not available.
Oxidizing properties	Not available.
Molecular weight	128.13 g/mol
10. Stability and reactivity	
Reactivity	See the other subsections of this section for further details.
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.
Possibility of hazardous reactions	No potentially hazardous reactions known.
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Corrosive gases or vapors.
11. Toxicological information	
Information on toxicological effects	5

Acute toxicity - oral	
Summary	Harmful if swallowed.
Acute toxicity oral (LD₅₀ mg/kg)	1,608.0
Species	Mouse
ATE oral (mg/kg)	1,608.0
Acute toxicity - dermal Summary	Based on available data the classification criteria are not met.
Acute toxicity - inhalation Summary	Based on available data the classification criteria are not met.
Skin corrosion/irritation Summary	Causes severe skin burns and eye damage.
Serious eye damage/irritation Summary	Based on available data the classification criteria are not met.
Respiratory sensitization Summary	Based on available data the classification criteria are not met.
Skin sensitization Summary	May cause an allergic skin reaction.
Germ cell mutagenicity Summary	Based on available data the classification criteria are not met.
Carcinogenicity Summary	Based on available data the classification criteria are not met.
Reproductive toxicity Summary	Based on available data the classification criteria are not met.
Specific target organ toxicity - sing Summary	le exposure Based on available data the classification criteria are not met.

Specific target organ toxicity - rep	peated exposure
Summary	Based on available data the classification criteria are not met.
Aspiration hazard	
Summary	Not relevant. Solid.
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Corrosive to the respiratory tract. Symptoms following overexposure may include the following: Severe irritation of nose and throat.
Ingestion	May cause sensitization or allergic reactions in sensitive individuals. May cause chemical burns in mouth, esophagus and stomach. Symptoms following overexposure may include the following: Severe stomach pain. Nausea, vomiting.
Skin Contact	May cause skin sensitization or allergic reactions in sensitive individuals. Causes severe burns. Symptoms following overexposure may include the following: Pain or irritation. Redness. Blistering may occur.
Eye contact	Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness.
Route of exposure	Ingestion Inhalation Skin and/or eye contact
Target Organs	No specific target organs known.
Medical considerations	Skin disorders and allergies.
12. Ecological information	
12. Ecological information Ecotoxicity	Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.
Ecotoxicity Acute aquatic toxicity	effects on the environment.
Ecotoxicity Acute aquatic toxicity Summary Chronic aquatic toxicity	effects on the environment. Based on available data the classification criteria are not met.
Ecotoxicity Acute aquatic toxicity Summary Chronic aquatic toxicity Summary	effects on the environment. Based on available data the classification criteria are not met.
Ecotoxicity Acute aquatic toxicity Summary Chronic aquatic toxicity Summary Persistence and degradability	effects on the environment. Based on available data the classification criteria are not met. Based on available data the classification criteria are not met.
Ecotoxicity Acute aquatic toxicity Summary Chronic aquatic toxicity Summary Persistence and degradability Persistence and degradability	effects on the environment. Based on available data the classification criteria are not met. Based on available data the classification criteria are not met.
Ecotoxicity Acute aquatic toxicity Summary Chronic aquatic toxicity Summary Persistence and degradability Persistence and degradability Bioaccumulative potential	effects on the environment. Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. The degradability of the product is not known.
Ecotoxicity Acute aquatic toxicity Summary Chronic aquatic toxicity Summary Persistence and degradability Persistence and degradability Bioaccumulative potential Bio-Accumulative Potential	effects on the environment. Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. The degradability of the product is not known. No data available on bioaccumulation.
Ecotoxicity Acute aquatic toxicity Summary Chronic aquatic toxicity Summary Persistence and degradability Persistence and degradability Bioaccumulative potential Bio-Accumulative Potential Partition coefficient	effects on the environment. Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. The degradability of the product is not known. No data available on bioaccumulation.
Ecotoxicity Acute aquatic toxicity Summary Chronic aquatic toxicity Summary Persistence and degradability Persistence and degradability Bioaccumulative potential Bio-Accumulative Potential Partition coefficient Mobility in soil	effects on the environment. Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. The degradability of the product is not known. No data available on bioaccumulation. Not available.
Ecotoxicity Acute aquatic toxicity Summary Chronic aquatic toxicity Summary Persistence and degradability Persistence and degradability Bioaccumulative potential Bio-Accumulative Potential Partition coefficient Mobility in soil Mobility	effects on the environment. Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. The degradability of the product is not known. No data available on bioaccumulation. Not available.

Waste treatment methods

General information	The generation of waste should be minimized or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.
Disposal methods	Do not empty into drains. Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labeled with their contents. Incineration or landfill should only be considered when recycling is not feasible.
14. Transport information	
General	For limited quantity packaging/limited load information, consult the relevant modal documentation using the data shown in this section.
UN Number	
UN No. (TDG)	1759
UN No. (IMDG)	1759
UN No. (ICAO)	1759
UN No. (DOT)	UN1759
UN proper shipping name	
Proper shipping name (TDG)	CORROSIVE SOLID, N.O.S. (3(2H)-Furanone, 4-hydroxy-2,5-dimethyl-)
Proper shipping name (IMDG)	CORROSIVE SOLID, N.O.S. (3(2H)-Furanone, 4-hydroxy-2,5-dimethyl-)
Proper shipping name (ICAO)	CORROSIVE SOLID, N.O.S. (3(2H)-Furanone, 4-hydroxy-2,5-dimethyl-)
Proper shipping name (DOT)	CORROSIVE SOLIDS, N.O.S. (3(2H)-Furanone, 4-hydroxy-2,5-dimethyl-)
Transport hazard class(es)	
DOT hazard class	8
DOT hazard label	8
TDG class	8
TDG label(s)	8
IMDG Class	8
ICAO class/division	8

Transport labels



DOT transport labels



Packing group	
TDG Packing Group	II
IMDG packing group	II
ICAO packing group	11

DOT packing group	11
Environmental hazards	
Environmentally Hazardous Subst <i>No.</i>	ance
Special precautions for user	
Always transport in closed contain of an accident or spillage.	ers that are upright and secure. Ensure that persons transporting the product know what to do in the event
EmS	F-A, S-B
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.
15. Regulatory information	
Regulatory References	OSHA Hazard Communication Standard 29 CFR §1910.1200
Inventories	
Canada - DSL/NDSL <i>DSL</i>	
US - TSCA Present.	
16. Other information	
Abbreviations and acronyms used in the safety data sheet	TDG: The transport of dangerous goods act
	 IATA: International air transport association. ICAO: Technical instructions for the safe transport of dangerous goods by air. IMDG: International maritime dangerous goods. CAS: Chemical abstracts service. ATE: Acute toxicity estimate. LC₅₀: Lethal concentration to 50 % of a test population. LD₅₀: Lethal dose to 50% of a test population (median lethal dose). EC₅₀: 50% of maximal effective concentration. PBT: Persistent, bioaccumulative and toxic substance. vPvB: Very persistent and very bioaccumulative.
Classification abbreviations and acronyms	Acute Tox. = Acute toxicity Skin Corr. = Skin corrosion Skin Sens. = Skin sensitisation
Training advice	Read and follow manufacturer's recommendations. Only trained personnel should use this material.
Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.
Revision date	5/26/2020
Revision	1
SDS No.	1262
Hazard statements in full	H302 Harmful if swallowed. H314 Causas source skin burns and ove damage

End of Safety Data Sheet

H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.