Oxiranecarboxylic acid, 3-methyl-3-phenyl-,



synerzine⁻ ethyl ester

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 05/28/2015 Version: 1.0

SECTION 1: Identification	SECTION 1: Identification				
1.1. Identification					
Product form	: Substance				
Substance name	: Oxiranecarboxylic acid, 3-methyl-3-phenyl-, ethyl ester				
CAS-No.	: 77-83-8				
Product code	: (US) W0551				
Formula	: C12H14O3				
Synonyms	: Ethyl 2,3-epoxy-3-methyl-3-phenylbutanoate / Ethyl 2,3-epoxy-3-phenyl butyrate / C16 aldehyde / Aldehyde C-16 pure / ETHYL METHYLPHENYLGLYCIDATE / 2-Oxiranecarboxylic acid, 3-methyl- 3-phenyl-, ethyl ester / Ethyl methyl phenylglycidate / Strawberry aldehyde / Oxiranecarboxylate, 3-methyl-3-phenyl-, ethyl / 3-Methyl-3-phenylglycidic acid ethyl ester / Hydrocinnamic acid, .alpha.,betaepoxybetamethyl-, ethyl ester / Ethyl methylphenylglycidate / Ethyl ester of 2,3-				

epoxy-3-phenylbutanoic acid / Ethyl 2,3-epoxy-3-phenylbutyrate

1.2. Recommended use and restrictions on use

No additional information available

Supplier 1.3.

Synerzine 5340 Hwy 42 S Ellenwood, Georgia 30294 - USA T 404-524-6744 - F 404-577-1651 info@synerzine.com - www.synerzine.com

1.4. Emergency telephone number

Emergency number

: Infotrac 1-800-535-5053 (Contract# 102471) Dial +1-352-323-3500 when outside the US

SECTION 2: Hazard(s) identification Classification of the substance or mixture 2.1. **GHS-US** classification Flammable liquids Category H226 Flammable liquid and vapour 3 Skin corrosion/irritation H315 Causes skin irritation Category 2 Serious eye damage/eye H319 Causes serious eye irritation irritation Category 2A Specific target organ toxicity May cause respiratory irritation H335 (single exposure) Category 3 Full text of H statements : see section 16

GHS Label elements, including precautionary statements 2.2.

GHS-US labeling

Hazard pictograms (GHS-US)

	▼ ▼	
Signal word (GHS-US)	: Warning	
Hazard statements (GHS-US)	: H226 - Flammable liquid and vapour H315 - Causes skin irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation	
Precautionary statements (GHS-US)	 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources smoking. hot surfaces, heat, open flames, sparks P233 - Keep container tightly closed. P240 - Ground/Bond container and receiving equipment P241 - Use explosion-proof electrical, lighting, ventilating equipment 	3. No
06/22/2018	EN (English US)	Page

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P242 - Use only non-sparking tools. P243 - Take precautionary measures against static discharge. P261 - Avoid breathing dust, fume, gas, mist, spray, vapors. P264 - Wash hands thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area. P280 - Wear eye protection, face protection, protective clothing, protective gloves. P302+P352 - If on skin: Wash with plenty of water P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P312 - Call a doctor, a POISON CENTER if you feel unwell P321 - Specific treatment (see first aid measures on this label) P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention. P362 - Take off contaminated clothing and wash before reuse. P370+P378 - In case of fire: Use alcohol resistant foam, carbon dioxide (CO2), dry sand to extinguish.

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P403+P235 - Store in a well-ventilated place. Keep cool.

P405 - Store locked up.

P501 - Dispose of contents/container to an approved waste disposal plant

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances				
Name	Product identifier	%	GHS-US classification	
Oxiranecarboxylic acid, 3-methyl-3-phenyl-, ethyl ester (Main constituent)	(CAS-No.) 77-83-8	100	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335	

Full text of hazard classes and H-statements : see section 16

3.2. Mixtures Not applicable

SECTION 4: First-aid measures	
4.1. Description of first aid measu	res
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
First-aid measures after skin contact	: Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs: Wash with plenty of soap and water. Get medical advice/attention. Specific treatment (see first aid measures on this label).
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Rinse immediately with plenty of water. Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms an	d effects (acute and delayed)
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye irritation.
4.3. Immediate medical attention	and special treatment, if necessary
No additional information available	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) exting	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Specific hazards arising from th	e chemical
Fire hazard	: Flammable liquid and vapour.
Explosion hazard	: May form flammable/explosive vapor-air mixture.
5.3. Special protective equipment ar	nd precautions for fire-fighters
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release me	asures
6.1. Personal precautions, protective	e equipment and emergency procedures
General measures	: Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
6.1.2. For emergency responders Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
Prevent entry to sewers and public waters. Notify	authorities if liquid enters sewers or public waters.
6.3. Methods and material for conta	
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
6.4. Reference to other sections	
See Heading 8. Exposure controls and personal pro	otection.
SECTION 7: Handling and storage	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	· Handle empty containers with care because residual vapors are flammable.
	 Handle empty containers with care because residual vapors are flammable. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. No
7.1.Precautions for safe handlingAdditional hazards when processed	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking
7.1.Precautions for safe handlingAdditional hazards when processed	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. No open flames. No smoking. Take precautionary measures against static discharge. Use only non- sparking tools. Avoid breathing dust, fume, gas, mist, spray, vapors. Use only outdoors or in a well-
7.1. Precautions for safe handling Additional hazards when processed Precautions for safe handling	 Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Avoid breathing dust, fume, gas, mist, spray, vapors. Use only outdoors or in a well-ventilated area. Wash hands thoroughly after handling.
7.1. Precautions for safe handling Additional hazards when processed Precautions for safe handling Hygiene measures	 Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Avoid breathing dust, fume, gas, mist, spray, vapors. Use only outdoors or in a well-ventilated area. Wash hands thoroughly after handling.
7.1.Precautions for safe handlingAdditional hazards when processedPrecautions for safe handlingHygiene measures7.2.Conditions for safe storage, incl	 Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Avoid breathing dust, fume, gas, mist, spray, vapors. Use only outdoors or in a well-ventilated area. Wash hands thoroughly after handling. Iuding any incompatibilities Proper grounding procedures to avoid static electricity should be followed. Ground/bond
7.1. Precautions for safe handling Additional hazards when processed Precautions for safe handling Hygiene measures 7.2. Conditions for safe storage, incl Technical measures	 Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. No open flames. No smoking, Take precautionary measures against static discharge. Use only non-sparking tools. Avoid breathing dust, fume, gas, mist, spray, vapors. Use only outdoors or in a well-ventilated area. Wash hands thoroughly after handling. Iuding any incompatibilities Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof chemical equipment. Keep only in the original container in a cool, well ventilated place away from : Heat sources. Keep
 7.1. Precautions for safe handling Additional hazards when processed Precautions for safe handling Hygiene measures 7.2. Conditions for safe storage, incl Technical measures Storage conditions 	 Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Avoid breathing dust, fume, gas, mist, spray, vapors. Use only outdoors or in a well-ventilated area. Wash hands thoroughly after handling. Iuding any incompatibilities Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof chemical equipment. Keep only in the original container in a cool, well ventilated place away from : Heat sources. Keep container tightly closed.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.2. Appropriate engineering controls

No additional information available

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves.

Eye protection:

Chemical goggles or safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Wear appropriate mask

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical	properties
9.1. Information on basic physical a	nd chemical properties
Physical state	: Liquid
Appearance	: Colorless to pale yellow liquid.
Color	: Colorless light yellow
Odor	: strong Fruity strawberry
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 272 - 275 °C
Flash point	: 100 °F closed cup
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Flammable liquid and vapour.
Vapor pressure	: 1 mm Hg @ 111C
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Specific gravity / density	: 1.086 - 1.096 g/ml
Molecular mass	: 206.24 g/mol
Solubility	: insoluble in water. soluble in alcohols.
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

coording to Federal Register / Vol. / /, No. 58 / Monday, Mai	
SECTION 10: Stability and reactivit	У
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
Flammable liquid and vapour. May form flammable,	/explosive vapor-air mixture.
10.3. Possibility of hazardous reaction	S
Not established.	
10.4. Conditions to avoid	
Direct sunlight. Extremely high or low temperatures	s. Open flame. Overheating. Heat. Sparks.
10.5. Incompatible materials	
Strong acids. Strong bases.	
10.6. Hazardous decomposition produc	ts
fume. Carbon monoxide. Carbon dioxide. May releas	e flammable gases.
SECTION 11: Toxicological informa	tion
11.1. Information on toxicological effe	cts
Acute toxicity	: Not classified
Oxiranecarboxylic acid, 3-methyl-3-phenyl-, et	hyl ester (77-83-8)
LD50 oral rat	5470 mg/kg
ATE US (oral)	5470 mg/kg body weight
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity – single exposure	: May cause respiratory irritation.
Specific target organ toxicity – repeated exposure	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye irritation.
SECTION 12: Ecological information	

12.1. Toxicity

No additional information available

Oxiranecarboxylic acid, 3-methyl-3-phenyl-, ethyl ester (77-83-8)		
Persistence and degradability	Not established.	
2.3. Bioaccumulative potential Oxiranecarboxylic acid, 3-methyl-3-ph	yl-, ethyl ester (77-83-8)	

No additional information available

12.5. Other adverse effects

Safety Data Sheet

Other information	: Avoid release to the environment.
SECTION 13: Disposal consideration	ons
13.1. Disposal methods	
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to manufactur's suggestion for disposal.
Additional information	: Handle empty containers with care because residual vapors are flammable.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport informatio	n
Department of Transportation (DOT) n accordance with DOT	
Fransport document description	: UN1993 Flammable liquids, n.o.s., 3, III
JN-No.(DOT)	: UN1993
Proper Shipping Name (DOT)	: Flammable liquids, n.o.s.
Class (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Packing group (DOT)	: III - Minor Danger
lazard labels (DOT)	: 3 - Flammable liquid
OOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
OOT Packaging Bulk (49 CFR 173.xxx)	: 242
OOT Symbols	: G - Identifies PSN requiring a technical name
OOT Special Provisions (49 CFR 172.102)	 B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. B52 - Notwithstanding the provisions of 173.24b of this subchapter, non-reclosing pressure relief devices are authorized on DOT 57 portable tanks. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T4 - 2.65 178.274(d)(2) Normal 178.275(d)(3) TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP29 - A portable tank having a minimum test pressure of 1.5 bar (150.0 kPa) may be used provided the calculated test pressure is 1.5 bar or less based on the MAWP of the hazardous materials, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.
OOT Packaging Exceptions (49 CFR 173.xxx)	: 150
00T Quantity Limitations Passenger aircraft/rail 49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
OOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Other information	: No supplementary information available.
Fransportation of Dangerous Goods	

Transport document description (IMDG)

: UN 1993 FLAMMABLE LIQUID, N.O.S., 3, III

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

UN-No. (IMDG)	: 1993
Proper Shipping Name (IMDG)	: FLAMMABLE LIQUID, N.O.S.
Class (IMDG)	: 3 - Flammable liquids
Packing group (IMDG)	: III - substances presenting low danger
Limited quantities (IMDG)	: 5L
Air transport	
Transport document description (IATA)	: UN 1993 Flammable liquid, n.o.s., 3, III
UN-No. (IATA)	: 1993
Proper Shipping Name (IATA)	: Flammable liquid, n.o.s.
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: III - Minor Danger

SECTION 15: Regulatory information

15.1. US Federal regulations

Oxiranecarboxylic acid, 3-methyl-3-phenyl-, ethyl ester (77-83-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

Oxiranecarboxylic acid, 3-methyl-3-phenyl-, ethyl ester (77-83-8)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

Oxiranecarboxylic acid, 3-methyl-3-phenyl-, ethyl ester (77-83-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

National regulations

Oxiranecarboxylic acid, 3-methyl-3-phenyl-, ethyl ester (77-83-8)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on CICR (Turkish Inventory and Control of Chemicals)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

15.3. US State regulations

No additional information available

SECTION 16: Other information

Other information

: None.

Full text of H-phrases:

H226	Flammable liquid and vapour
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.
NFPA fire hazard	: 2 - Materials that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur.
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.
Hazard Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	 2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II & IIIA)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.
Personal protection	: B
	B - Safety glasses, Gloves

Synerzine US

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product