

Date of issue: 06/06/2015 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Substance name	: Ethyl (E)-crotonate
Chemical name	: ethyl trans-2-butenoate
CAS-No.	: 623-70-1
Product code	: (US) W056
Formula	: C6H1002
Synonyms	: Ethyl crotonate / But-2-enoate, ethyl, (E)- / 2-Butenoic acid, ethyl ester, (2E)- / 2-Butenoic acid, ethyl ester, (E)- / Crotonic acid, ethyl ester, (E)- / Ethyl trans-2-butenoate / Ethyl trans-crotonate / 2-Butenoic acid ethyl ester / Ethyl (2E)-2-butenoate
1.2. Recommended use and restr	ictions on use
No additional information available	
1.3. Supplier	
Synerzine 5340 Hwy 42 S Ellenwood, Georgia 30294 - USA T 404-524-6744 - F 404-577-1651 info@synerzine.com - www.synerzine.com	
1.4. Emergency telephone numbe	ir
Emergency number	: Infotrac 1-800-535-5053 (Contract# 102471) Dial +1-352-323-3500 when outside the US
SECTION 2: Hazard(s) identifica	ation
2.1. Classification of the substan	
GHS-US classification	
Flammable liquids Category H225 2	Highly flammable liquid and vapour
Serious eye damage/eye H319 irritation Category 2A	Causes serious eye irritation
Full text of H statements : see section 16	
2.2. GHS Label elements, includin GHS-US labeling	ng precautionary statements
Hazard pictograms (GHS-US)	
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	: H225 - Highly flammable liquid and vapour H319 - Causes serious eye irritation
Precautionary statements (GHS-US)	 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. heat, hot surfaces, open flames, sparks P233 - Keep container tightly closed. P240 - Ground/Bond container and receiving equipment P241 - Use explosion-proof electrical, lighting, ventilating equipment P242 - Use only non-sparking tools. P243 - Take precautionary measures against static discharge. P264 - Wash hands, forearms and face thoroughly after handling. P280 - Wear face protection, eye protection, protective clothing, protective gloves. P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P337+P313 - If eye irritation persists: Get medical advice/attention. P370+P378 - In case of fire: Use alcohol resistant foam, carbon dioxide (CO2), dry sand to
06/22/2018	EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	extinguish. P403+P235 - Store in a well-ventilated place. Keep cool. P501 - Dispose of contents/container to an approved waste disposal plant		
2.3. Other hazards which do not i	result in classification		
No additional information available			
2.4. Unknown acute toxicity (GHS	US)		
Not applicable			
SECTION 2. Composition /Inform	nation on ingradiants		
SECTION 3: Composition/Inforn	hation on ingredients		
3.1. Substances			
Name	Product identifier % GHS-US classification		
Ethyl (E)-crotonate (Main constituent)	(CAS-No.) 623-70-1 98 - 100 Flam. Liq. 2, H225 Eye Irrit. 2A, H319		
Full text of hazard classes and H-statements : s			
	see section 16		
3.2. Mixtures			
Not applicable			
SECTION 4: First-aid measures			
1.1. Description of first aid meas	ures		
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.		
irst-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing.		
irst-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.		
irst-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.		
.2. Most important symptoms ar	nd effects (acute and delayed)		
ymptoms/effects after eye contact	: Eye irritation.		
I.3. Immediate medical attention	and special treatment, if necessary		
Treat symptomatically.			
SECTION 5: Fire-fighting measu			
5.1. Suitable (and unsuitable) ext			
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.		
5.2. Specific hazards arising from	the chemical		
Fire hazard	: Highly flammable liquid and vapour.		
Reactivity	: Highly flammable liquid and vapour.		
5.3. Special protective equipmen	t and precautions for fire-fighters		
Protection during firefighting	ecial protective equipment and precautions for fire-fighters ring firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.		
SECTION 6: Accidental release	measures		
	tive equipment and emergency procedures		
6.1.1. For non-emergency personnel Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and		
sinergency procedures	eyes.		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
.2. Environmental precautions			
Avoid release to the environment.			
5.3. Methods and material for co	ntainment and cleaning up		
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.		
Other information	: Dispose of materials or solid residues at an authorized site.		
00/00/0040			

EN (English US)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.4. Reference to other sections			
For further information refer to section 13.			
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Precautions for safe handling :	Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes.		
Hygiene measures :	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
7.2. Conditions for safe storage, includ	ling any incompatibilities		
Technical measures :	Ground/bond container and receiving equipment.		
Storage conditions :	Store in a well-ventilated place. Keep cool. Keep container tightly closed.		

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering contro	ls
Appropriate engineering controls	: Ensure good ventilation of the work station.
Environmental exposure controls	: Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical	l and chemical properties	
Physical state	: Liquid	
Appearance	: Colorless to pale yellow clear liquid.	
Color	: colorless to pale yellow	
Odor	: odorless	
Odor threshold	: No data available	
pH	: No data available	
Melting point	: Not applicable	
Freezing point	: No data available	
Boiling point	: 142 - 143 °C	
Flash point	: 36 °F TCC	
Relative evaporation rate (butyl acetate=1)	: No data available	
Flammability (solid, gas)	: Not applicable.	
Vapor pressure	: No data available	
Relative vapor density at 20 °C	: No data available	
00/00/0040		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative density	: No data available
Specific gravity / density	: $0.915 - 0.925 \text{ g/cm}^3$
Molecular mass	: 114.14 g/mol
Solubility	: Soluble in alcohols. slightly soluble in water.
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Highly flammable liquid and vapour.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

: Not classified

Ethyl (E)-crotonate (623-70-1)	
LD50 oral rat	3 g/kg
ATE US (oral)	3000 mg/kg body weight
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity – single exposure	: Not classified
Specific target organ toxicity – repeated exposure	: Not classified
Aspiration hazard	: Not classified
Symptoms/effects after eye contact	: Eye irritation.

SECTIC	DN 12: Ecological informatio	n
12.1.	Toxicity	
Ecology -	general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.2.	Persistence and degradability
No addit	tional information available
12.3. No addi	Bioaccumulative potential tional information available
12.4.	Mobility in soil tional information available
12.5.	Other adverse effects

No additional information available

13.1. Disposal methods

SECTION 13: Disposal considerations

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.		
Additional information	Flammable vapors may accumulate in the container.		
SECTION 14: Transport information	n		
Department of Transportation (DOT)			
In accordance with DOT			
Transport document description	: UN1862 Ethyl crotonate, 3, II		
UN-No.(DOT)	: UN1862		
Proper Shipping Name (DOT)	: Ethyl crotonate		
Class (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120		
Packing group (DOT)	: II - Medium Danger		
Hazard labels (DOT)	: 3 - Flammable liquid		
	PLANMARKE LEQUID 3		
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 202		
DOT Packaging Bulk (49 CFR 173.xxx)	: 242		
DOT Special Provisions (49 CFR 172.102)	 IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized. T4 - 2.65 178.274(d)(2) Normal		
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150		
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 5 L		
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 60 L		
DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.		
Other information	: No supplementary information available.		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Transportation of Dangerous Goods

Transport by sea

Transport document description (IMDG)	: UN 1862 ETHYL CROTONATE, 3, II (2°C c.c.)
UN-No. (IMDG)	: 1862
Proper Shipping Name (IMDG)	: ETHYL CROTONATE
Class (IMDG)	: 3 - Flammable liquids
Packing group (IMDG)	: II - substances presenting medium danger
Limited quantities (IMDG)	: 1L

Air transport

Transport document description (IATA)	:	UN 1862 Ethyl crotonate, 3, II
UN-No. (IATA)	:	1862
Proper Shipping Name (IATA)	:	Ethyl crotonate
Class (IATA)	:	3 - Flammable Liquids
Packing group (IATA)	:	II - Medium Danger

SECTION 15: Regulatory information	
15.1. US Federal regulations	
Ethyl (E)-crotonate (623-70-1)	
Listed on the United States TSCA (Toxic Substances Cont	trol Act) inventory

15.2. International regulations

CANADA

Ethyl (E)-crotonate (623-70-1)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

Ethyl (E)-crotonate (623-70-1)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

National regulations

Ethyl (E)-crotonate (623-70-1)

Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on the Korean ECL (Existing Chemicals List) Listed on NZIOC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory)

15.3. US State regulations	
Ethyl (E)-crotonate (623-70-1)	
0	U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Substance List

SECTION 16: Other information

Full text of H-phrases:

H225	Highly flammable liquid and vapour
H319	Causes serious eye irritation

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.
NFPA fire hazard	: 3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions.
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.
Hazard Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 3 Serious Hazard - Materials capable of ignition under almost all normal temperature conditions. Includes flammable liquids with flash points below 73 F and boiling points above 100 F. as well as liquids with flash points between 73 F and 100 F. (Classes IB & IC)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.
Personal protection	: C
	C - Safety glasses, Gloves, Synthetic apron

Synerzine US

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product