

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 06/13/2015 Version: 1.0

### SECTION 1: Identification

### Identification

Product form : Substance Substance name Methyleugenol CAS-No. 93-15-2 Product code : (US) W0565 Formula : C11H14O2

4-Allyl-1,2-dimethoxybenzene / 4-Allylveratrole / Benzene, 1,2-dimethoxy-4-(2-propenyl)- / Synonyms Benzene, 4-allyl-1,2-dimethoxy- / 1,2-Dimethoxy-4-allylbenzene / 1,3,4-Eugenol methyl ether / Eugenyl methyl ether / Methyl eugenol / Veratrole methyl ether / Eugenol methyl ether / Benzene,

1,2-dimethoxy-4-(2-propen-1-yl)- / METHYL EUGENOL / 1,2-Dimethoxy-4-(2-propenyl)-benzene

/ 1,2-Dimethoxy-4(2-propenyl)-benzene

#### Recommended use and restrictions on use

No additional information available

#### 1.3. Supplier

Synerzine 5340 Hwy 42 S Ellenwood, Georgia 30294 - USA T 404-524-6744 - F 404-577-1651 info@synerzine.com - www.synerzine.com

### 1.4. Emergency telephone number

: Infotrac 1-800-535-5053 (Contract# 102471) Dial +1-352-323-3500 when outside the US Emergency number

Harmful if swallowed

### SECTION 2: Hazard(s) identification

### 2.1. Classification of the substance or mixture

H302

### GHS-US classification

Acute toxicity (oral) Category 4 Skin corrosion/irritation H315 Causes skin irritation Category 2 Serious eye damage/eye H319 Causes serious eye irritation irritation Category 2A Carcinogenicity Category 1B H350 May cause cancer (Not classified) Specific target organ toxicity May cause respiratory irritation H335 (single exposure) Category 3 Hazardous to the aquatic H401 Toxic to aquatic life environment - Acute Hazard

Category 2 Hazardous to the aquatic H411 Toxic to aquatic life with long lasting effects

environment - Chronic Hazard Category 2

Full text of H statements: see section 16

### GHS Label elements, including precautionary statements

#### **GHS-US** labeling

Hazard pictograms (GHS-US)







Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H302 - Harmful if swallowed

H315 - Causes skin irritation

H319 - Causes serious eye irritation H335 - May cause respiratory irritation H350 - May cause cancer (Not classified)

H401 - Toxic to aquatic life

06/22/2018 EN (English US) Page 1

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

H411 - Toxic to aquatic life with long lasting effects

Precautionary statements (GHS-US) : P201 - Obtain special instructions before use.

 $\label{eq:problem} P202 - Do \ not \ handle \ until \ all \ safety \ precautions \ have \ been \ read \ and \ understood.$ 

P261 - Avoid breathing fume, gas, mist, spray, vapors.

P264 - Wash hands, forearms and face thoroughly after handling.

 $\ensuremath{\mathsf{P270}}$  - Do not eat, drink or smoke when using this product.

P271 - Use only outdoors or in a well-ventilated area.

P273 - Avoid release to the environment.

 $P280 - We ar \ eye \ protection, face \ protection, protective \ clothing, protective \ gloves.$ 

P301+P312 - If swallowed: Call a doctor, a POISON CENTER if you feel unwell

P302+P352 - If on skin: Wash with plenty of soap and water

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P308+P313 - If exposed or concerned: Get medical advice/attention.

P312 - Call a doctor, a POISON CENTER if you feel unwell

P321 - Specific treatment (see supplemental first aid instructions on this label)

P330 - Rinse mouth.

P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention.

P362 - Take off contaminated clothing and wash before reuse.

P391 - Collect spillage.

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P405 - Store locked up.

P501 - Dispose of contents/container to an approved waste disposal plant

#### 2.3. Other hazards which do not result in classification

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

### SECTION 3: Composition/Information on ingredients

#### 3.1. Substances

Name	Product identifier	%	GHS-US classification
Methyleugenol (Main constituent)	(CAS-No.) 93-15-2	98 - 100	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Carc. 1B, H350 STOT SE 3, H335 Aquatic Acute 2, H401 Aquatic Chronic 2, H411

Full text of hazard classes and H-statements: see section 16

#### 3.2. Mixtures

Not applicable

### SECTION 4: First-aid measures

### 4.1. Description of first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention. Call a poison center/doctor/physician if

you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a poison

center/doctor/physician if you feel unwell.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get

medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

 $\label{thm:continue} \mbox{Continue rinsing. If eye irritation persists: Get medical advice/attention.}$ 

First-aid measures after ingestion : Rinse mouth. Call a poison center/doctor/physician if you feel unwell.

#### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : Irritation.
Symptoms/effects after eye contact : Eye irritation.

### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

06/22/2018 EN (English US) 2/7

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 5: Fire-fighting measures

#### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

### 5.2. Specific hazards arising from the chemical

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

#### 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Only qualified personnel equipped with suitable protective equipment may intervene. Avoid

breathing fume, gas, mist, spray, vapors.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer

to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public

waters.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

### SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Wear personal protective equipment. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Avoid breathing fume, gas, mist, spray, vapors. Avoid

contact with skin and eyes.

Hygiene measures : Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after

handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.

### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

#### Hand protection:

06/22/2018 EN (English US) 3/7

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Protective gloves

#### Eye protection:

Safety glasses

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

Wear respiratory protection.

### SECTION 9: Physical and chemical properties

### Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Clear colorless to pale yellow liquid.

Color colorless to pale yellow

Odor : vegetative spicy, woody, cinnamon-like odor phenolic nuance

Odor threshold : No data available рΗ No data available : Not applicable Melting point Freezing point No data available **Boiling** point : 254 - 255 °C 230 °F TCC Flash point Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : Not applicable. Vapor pressure : 1 mm Hg (at 85 °C) Relative vapor density at 20 °C : No data available Relative density : No data available :  $1.036 \, \text{g/cm}^3$ Specific gravity / density Solubility No data available Log Pow No data available No data available No data available : No data available

Auto-ignition temperature Decomposition temperature Viscosity, kinematic Viscosity, dynamic : No data available **Explosion limits** No data available Explosive properties No data available Oxidizing properties : No data available

### Other information

No additional information available

## SECTION 10: Stability and reactivity

#### Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### Conditions to avoid

None under recommended storage and handling conditions (see section 7).

06/22/2018 EN (English US) 4/7

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Methyleugenol (93-15-2)	
LD50 oral rat	810 mg/kg
LD50 dermal rabbit	> 2025 mg/kg
ATE US (oral)	810 mg/kg body weight

Skin corrosion/irritation : Causes skin irritation.
Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified

Carcinogenicity : May cause cancer (Not classified).

Methyleugenol (93-15-2)		
IARC group	2B - Possibly carcinogenic to humans	
National Toxicology Program (NTP) Status	Evidence of Carcinogenicity, Reasonably anticipated to be Human Carcinogen	
In OSHA Hazard Communication Carcinogen list	Yes	

Reproductive toxicity : Not classified

Specific target organ toxicity – single exposure : May cause respiratory irritation.

Specific target organ toxicity – repeated exposure : Not classified
Aspiration hazard : Not classified

Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : Irritation.
Symptoms/effects after eye contact : Eye irritation.

### SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects. Toxic to aquatic life.

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

No additional information available

### SECTION 13: Disposal considerations

### 13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

06/22/2018 EN (English US) 5/7

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 14: Transport information

### **Department of Transportation (DOT)**

In accordance with DOT

Dangerous for the environment : Yes
Marine pollutant : Yes



Other information : No supplementary information available.

**Transportation of Dangerous Goods** 

Transport by sea

Marine pollutant : Yes



#### Air transport

### SECTION 15: Regulatory information

### 15.1. US Federal regulations

### Methyleugenol (93-15-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313

### 15.2. International regulations

#### **CANADA**

Methy	leugenol	(93-15-2)

Listed on the Canadian DSL (Domestic Substances List)

Toxic Substance (CEPA – Schedule I)

Yes

#### **EU-Regulations**

### Methyleugenol (93-15-2)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### **National regulations**

#### Methyleugenol (93-15-2)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

06/22/2018 EN (English US) 6/7

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.3. US State regulations	
Methyleugenol (93-15-2)	
U.S California - Proposition 65 - Carcinogens List	Yes
U.S California - Proposition 65 - Developmental Toxicity	No
U.S California - Proposition 65 - Reproductive Toxicity - Female	No
U.S California - Proposition 65 - Reproductive Toxicity - Male	No
State or local regulations	U.S New Jersey - Right to Know Hazardous Substance List

### SECTION 16: Other information

### Full text of H-phrases:

H302	Harmful if swallowed
Н315	Causes skin irritation
Н319	Causes serious eye irritation
Н335	May cause respiratory irritation
Н350	May cause cancer
H401	Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

NFPA health hazard

: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.


NFPA fire hazard

 $: \ 1 \text{-} \textit{Materials that must be preheated before ignition can} \\$ 

occur.

NFPA reactivity

: 0 - Material that in themselves are normally stable, even under fire conditions.



**Hazard Rating** 

Health : 2 Moderate Hazard - Temporary or minor injury may occur

Flammability

: 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)

Physical :

: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Personal protection :

C - Safety glasses, Gloves, Synthetic apron

#### Synerzine US

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

06/22/2018 EN (English US) 7/7