

synerzine Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Substance name	: Furfuryl acetate
CAS-No.	: 623-17-6
Product code	: (US) W066
Formula	: C7H8O3
Synonyms	: Acetate, furfuryl / Acetic acid furfuryl ester / 2-Furanmethanol, acetate / Furfuryl alcohol acetate / 2-Furanmethanol, 2-acetate / 2-Furanmethanol acetate
1.2. Recommended use and restriction	ns on use
No additional information available	
1.3. Supplier	
Synerzine 5340 Hwy 42 S Ellenwood, Georgia 30294 - USA T 404-524-6744 - F 404-577-1651 <u>info@synerzine.com</u> - <u>www.synerzine.com</u>	
1.4. Emergency telephone number	
Emergency number	: Infotrac 1-800-535-5053 (Contract# 102471) Dial +1-352-323-3500 when outside the US
SECTION 2: Hazard(s) identification	1
2.1. Classification of the substance of	
GHS-US classification	
Flammable liquids Category H227 4	Combustible liquid
Full text of H statements : see section 16	
2.2. GHS Label elements, including pr	ecautionary statements
GHS-US labeling	
Signal word (GHS-US)	: Warning
Hazard statements (GHS-US)	: H227 - Combustible liquid
Precautionary statements (GHS-US)	 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. heat, hot surfaces, open flames, sparks P280 - Wear eye protection, face protection, protective clothing, protective gloves. P370+P378 - In case of fire: Use alcohol resistant foam, dry sand to extinguish. P403+P235 - Store in a well-ventilated place. Keep cool. P501 - Dispose of contents/container to an approved waste disposal plant
2.3. Other hazards which do not resul	lt in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances			
Name	Product identifier	%	GHS-US classification
Furfuryl acetate (Main constituent)	(CAS-No.) 623-17-6	98 - 100	Flam. Liq. 4, H227

Full text of hazard classes and H-statements : see section 16

3.2. Mixtures

Not applicable

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 4: First-aid measures	
4.1. Description of first aid measu	res
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.
4.2. Most important symptoms and	effects (acute and delayed)
No additional information available	
4.3. Immediate medical attention a	and special treatment, if necessary
Treat symptomatically.	
SECTION 5: Fire-fighting measur	es
5.1. Suitable (and unsuitable) exti	nguishing media
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5.2. Specific hazards arising from t	he chemical
Fire hazard	: Combustible liquid.
Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
5.3. Special protective equipment	and precautions for fire-fighters
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release m	easures
6.1. Personal precautions, protect	ive equipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for con-	tainment and cleaning up
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section 13.	
SECTION 7: Handling and storage	2
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, in	cluding any incompatibilities
Storage conditions	: Store in a well-ventilated place. Keep cool.
SECTION 8: Exposure controls/n	

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.2. Appropriate engineering controls

Appropriate engineering controls Environmental exposure controls

Ensure good ventilation of the work station.Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

SECTION 9: Physical and chemical properties Information on basic physical and chemical properties 9.1. Physical state : Liquid : A pale yellow liquid. Appearance Color : Pale yellow Odor : mild oily, burnt odor Odor threshold No data available No data available pН Melting point : Not applicable Freezing point No data available Boiling point 175 - 177 °C ÷ Flash point 150 °F TCC Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : Not applicable. Vapor pressure ÷ No data available No data available Relative vapor density at 20 °C . : No data available Relative density Specific gravity / density : 1.118 g/cm^3 Solubility No data available Log Pow : No data available Auto-ignition temperature No data available No data available Decomposition temperature No data available Viscosity, kinematic : Viscosity, dynamic : No data available **Explosion** limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Explosive properties Oxidizing properties

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

No data available

: No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1.	Information on toxicological eff	ec	ts
Acute toxicity			Not classified
Skin cori	osion/irritation	:	Not classified
Serious e	eye damage/irritation	:	Not classified
Respirat	ory or skin sensitization	:	Not classified
Germ cell mutagenicity			Not classified
Carcinog	enicity	:	Not classified
Reprodu	ctive toxicity	:	Not classified
Specific	arget organ toxicity – single exposure	:	Not classified
Specific	arget organ toxicity – repeated exposure	:	Not classified
Aspiratio	on hazard	:	Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general

: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available 12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations 13.1. Disposal methods Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions. SECTION 14: Transport information Department of Transportation (DOT) In accordance with DOT Transport document description : NA1993 Combustible liquid, n.o.s., 3, III UN-No.(DOT) : NA1993

: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

Proper Shipping Name (DOT) Class (DOT)

: Combustible liquid, n.o.s.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Packing group (DOT)	III - Minor Danger
DOT Packaging Non Bulk (49 CFR 173.xxx)	203
DOT Packaging Bulk (49 CFR 173.xxx)	241
DOT Symbols	D - Proper shipping name for domestic use only, or to and from Canada,G - Identifies PSN requiring a technical name
DOT Special Provisions (49 CFR 172.102)	IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HD2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T1 - 1.5 178.274(d)(2) Normal 178.275(d)(2) T4 - 2.65 178.274(d)(2) Normal 178.275(d)(3) TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.
DOT Packaging Exceptions (49 CFR 173.xxx)	150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	220 L
DOT Vessel Stowage Location	A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.

Transport by sea

Air transport

SEC	TION 15: Regulatory information
15.1.	. US Federal regulations
Furf	furyl acetate (623-17-6)
Liste	ed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

Furfuryl acetate (623-17-6)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

Furfuryl acetate (623-17-6)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

National regulations

Furfuryl acetate (623-17-6)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

15.3. US State regulations

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 16: Other information

Full	text of H-phrases:	
	H227	Combustible liquid
NFPA	health hazard	: 0 - Materials that, under emergency conditions, would offer no hazard beyond that of ordinary combustible materials.
NFPA	fire hazard	: 2 - Materials that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur.
NFPA	reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.
Haz	ard Rating	
Hea	lth	: 0 Minimal Hazard - No significant risk to health
Flan	nmability	: 2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II & IIIA)
Phy	sical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.
Pers	sonal protection	: B
		B - Safety glasses, Gloves

Synerzine US

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product