

Butanoic acid, 2-methyl-, 3,7-dimethyl-2,6-

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 06/04/2015 Version: 1.0

1.1. Identification	
Product form	: Mixture
Product name	: Butanoic acid, 2-methyl-, 3,7-dimethyl-2,6-octadienyl ester, (E)-
CAS-No.	: 68705-63-5
Product code	: (US) W0700
Formula	: C15H26O2
Synonyms	 Butanoic acid, 2-methyl-, (2E)-3,7-dimethyl-2,6-octadienyl ester / (E)-3,7-Dimethylocta-2,6-dienyl 2-methylbutyrate / Geranyl methylethylacetate / Geranyl 2-methylbutyrate / Butanoic acid, 2-methyl-, (2E)-3,7-dimethyl-2,6-octadien-1-yl ester / 2-Methylbutyric acid, (2E)-3,7-dimethyl-2,6-octadienyl ester / 2-Methylbutyric acid

1.2 Recommended use and restrictions on us

No additional information available

Supplier 1.3.

Synerzine 5340 Hwy 42 S Ellenwood, Georgia 30294 - USA T 404-524-6744 - F 404-577-1651 info@synerzine.com - www.synerzine.com

1.4. Emergency telephone number

Emergency number

: Infotrac 1-800-535-5053 (Contract# 102471) Dial +1-352-323-3500 when outside the US

SECTION 2: Hazard(s) identification		
2.1. Classification of the substance or mixture		
GHS-US classification		
Flammable liquids Category H227 4	Combustible liquid	
Full text of H statements : see section 16		
2.2. GHS Label elements, inclu	uding precautionary statements	
GHS-US labeling		
Signal word (GHS-US)	: Warning	
Hazard statements (GHS-US)	: H227 - Combustible liquid	
Precautionary statements (GHS-US)	 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. heat, hot surfaces, open flames, sparks P280 - Wear eye protection, face protection, protective clothing, protective gloves. P370+P378 - In case of fire: Use alcohol resistant foam, carbon dioxide (CO2), dry sand to extinguish. P403+P235 - Store in a well-ventilated place. Keep cool. P501 - Dispose of contents/container to an approved waste disposal plant 	

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

This mixture does not contain any substances to be mentioned according to the criteria of section 3.2 of HazCom 2012

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	· Wash skin with plenty of water.
•	Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.
4.2. Most important symptoms and ef	fects (acute and delayed)
No additional information available	
4.3. Immediate medical attention and	special treatment, if necessary
Treat symptomatically.	
SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extingu	ishing media
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5.2. Specific hazards arising from the	chemical
Fire hazard	: Combustible liquid.
Reactivity	The product is non-reactive under normal conditions of use, storage and transport.
5.3. Special protective equipment and	precautions for fire-fighters
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release mea	sures
6.1. Personal precautions, protective	equipment and emergency procedures
6.1.1. For non-emergency personnel Emergency procedures	· Ventilate spillage area. No open flames, no sparks, and no smoking.
6.1.2. For emergency responders Protective equipment	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for contain	ment and cleaning up
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other information	Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section 13.	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, inclu	ding any incompatibilities
Storage conditions	: Store in a well-ventilated place. Keep cool.
SECTION 8: Exposure controls/pers	onal protection

8.1. Control parameters

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.2. Appropriate engineering c	ontrols	
Appropriate engineering controls	: Ensure good ventilation of the work station.	
Environmental exposure controls	: Avoid release to the environment.	
8.3. Individual protection mea	sures/Personal protective equipment	

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

SECTION 9: Physical and chemic	al properties
9.1. Information on basic physical	
Physical state	: Liquid
Appearance	: A clear, colorless liquid.
Color	: Colorless
Odor	: fruity-apple like, rosy odor
Odor threshold	: No data available
рН	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: 312 - 313 °C
Flash point	: 194 °F closed cup
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Specific gravity / density	: 0.885 - 0.905 g/ml
Molecular mass	: 238.37062 g/mol
Solubility	: soluble in alcohols. insoluble in water.
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, Ma	arch 26, 2012 / Rules and Regulations
10.2. Chemical stability	
Stable under normal conditions.	
10.3. Possibility of hazardous reaction	hs
No dangerous reactions known under normal cond	itions of use.
10.4. Conditions to avoid	
Avoid contact with hot surfaces. Heat. No flames, no	o sparks. Eliminate all sources of ignition.
10.5. Incompatible materials	
No additional information available	
10.6. Hazardous decomposition produ	
.	dous decomposition products should not be produced.
SECTION 11: Toxicological informa	
11.1. Information on toxicological eff	
Acute toxicity	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity – single exposure	: Not classified
Specific target organ toxicity – repeated exposure	: Not classified
Aspiration hazard	: Not classified
SECTION 12: Ecological informatio	n
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	

No additional information available

SECTION 13: Disposal considerations		
13.1. Disposal methods		
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.	
SECTION 14: Transport informatio	n	
Department of Transportation (DOT)		
In accordance with DOT		
Transport document description	: NA1993 Combustible liquid, n.o.s., 3, III	
UN-No.(DOT)	: NA1993	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Proper Shipping Name (DOT)	: Combustible liquid, n.o.s.
Class (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Packing group (DOT)	: III - Minor Danger
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 241
DOT Symbols	: D - Proper shipping name for domestic use only, or to and from Canada,G - Identifies PSN requiring a technical name
DOT Special Provisions (49 CFR 172.102)	 IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T1 - 1.5 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Other information	: No supplementary information available.
Transportation of Dangerous Goods	

Transport by sea

Air transport

SECTION 15: Regulatory information	
15.1. US Federal regulations	
Butanoic acid, 2-methyl-, 3,7-dimethyl-2,6-octadienyl ester, (E)- (68705-63-5)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	

15.2. International regulations

CANADA
Butanoic acid, 2-methyl-, 3,7-dimethyl-2,6-octadienyl ester, (E)- (68705-63-5)
Listed on the Canadian NDSL (Non-Domestic Substances List)

EU-Regulations

Butanoic acid, 2-methyl-, 3,7-dimethyl-2,6-octadienyl ester, (E)- (68705-63-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

National regulations

Butanoic acid, 2-methyl-, 3,7-dimethyl-2,6-octadienyl ester, (E)- (68705-63-5)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

15.3. US State regulations

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 16: Other information

Full text of H-phrases:	
H227	Combustible liquid
NFPA health hazard	: 1 - Materials that, under emergency conditions, can cause significant irritation.
NFPA fire hazard	: 2 - Materials that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur.
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.
Hazard Rating	
Health	: 1 Slight Hazard - Irritation or minor reversible injury possible
Flammability	: 2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II & IIIA)
Physical	 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors.
Personal protection	: B
	B - Safety glasses, Gloves

Synerzine US

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product