

Date of issue: 05/27/2015 Version: 1.0

SECTION 1: Identification	
I.1. Identification	
Product form	: Substance
Substance name	: Methyl isovalerate
CAS-No.	: 556-24-1
roduct code	: (US) W1323
formula	: C6H12O2
ynonyms	: Methyl isopentanoate / Methyl 3-methylbutyrate / Methyl 3-methylbutanoate / Isovaleric acid, methyl ester / Butanoic acid, 3-methyl-, methyl ester / Butanoate, 3-methyl-, methyl
.2. Recommended use and restric	ctions on use
lo additional information available	
.3. Supplier	
Synerzine 5340 Hwy 42 S Ellenwood, Georgia 30294 - USA Γ 404-524-6744 - F 404-577-1651 <u>nfo@synerzine.com</u> - <u>www.synerzine.com</u>	
4. Emergency telephone number	
Emergency number	: Infotrac 1-800-535-5053 (Contract# 102471) Dial +1-352-323-3500 when outside the US
SECTION 2: Hazard(s) identifica	tion
.1. Classification of the substanc	
GHS-US classification	
lammable liquids Category H225	Highly flammable liquid and vapour
- Full text of H statements : see section 16	
2.2. GHS Label elements, including	g precautionary statements
Hazard pictograms (GHS-US)	
lignal word (GHS-US)	: Danger
Hazard statements (GHS-US)	: H225 - Highly flammable liquid and vapour
Precautionary statements (GHS-US)	: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. heat, hot surfaces, open flames, sparks
Precautionary statements (GHS-US)	smoking. heat, hot surfaces, open flames, sparks P233 - Keep container tightly closed.
Precautionary statements (GHS-US)	smoking. heat, hot surfaces, open flames, sparks P233 - Keep container tightly closed. P240 - Ground/Bond container and receiving equipment
Precautionary statements (GHS-US)	smoking. heat, hot surfaces, open flames, sparks P233 - Keep container tightly closed. P240 - Ground/Bond container and receiving equipment P241 - Use explosion-proof electrical, lighting, ventilating equipment P242 - Use only non-sparking tools.
Precautionary statements (GHS-US)	smoking. heat, hot surfaces, open flames, sparks P233 - Keep container tightly closed. P240 - Ground/Bond container and receiving equipment P241 - Use explosion-proof electrical, lighting, ventilating equipment P242 - Use only non-sparking tools. P243 - Take precautionary measures against static discharge.
Precautionary statements (GHS-US)	smoking. heat, hot surfaces, open flames, sparks P233 - Keep container tightly closed. P240 - Ground/Bond container and receiving equipment P241 - Use explosion-proof electrical, lighting, ventilating equipment P242 - Use only non-sparking tools. P243 - Take precautionary measures against static discharge. P280 - Wear eye protection, face protection, protective clothing, protective gloves.
Precautionary statements (GHS-US)	<ul> <li>smoking. heat, hot surfaces, open flames, sparks</li> <li>P233 - Keep container tightly closed.</li> <li>P240 - Ground/Bond container and receiving equipment</li> <li>P241 - Use explosion-proof electrical, lighting, ventilating equipment</li> <li>P242 - Use only non-sparking tools.</li> <li>P243 - Take precautionary measures against static discharge.</li> <li>P280 - Wear eye protection, face protection, protective clothing, protective gloves.</li> <li>P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower</li> </ul>
Precautionary statements (GHS-US)	<ul> <li>smoking. heat, hot surfaces, open flames, sparks</li> <li>P233 - Keep container tightly closed.</li> <li>P240 - Ground/Bond container and receiving equipment</li> <li>P241 - Use explosion-proof electrical, lighting, ventilating equipment</li> <li>P242 - Use only non-sparking tools.</li> <li>P243 - Take precautionary measures against static discharge.</li> <li>P280 - Wear eye protection, face protection, protective clothing, protective gloves.</li> <li>P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower</li> <li>P370+P378 - In case of fire: Use alcohol resistant foam, carbon dioxide (CO2), dry sand to</li> </ul>
Precautionary statements (GHS-US)	<ul> <li>smoking. heat, hot surfaces, open flames, sparks</li> <li>P233 - Keep container tightly closed.</li> <li>P240 - Ground/Bond container and receiving equipment</li> <li>P241 - Use explosion-proof electrical, lighting, ventilating equipment</li> <li>P242 - Use only non-sparking tools.</li> <li>P243 - Take precautionary measures against static discharge.</li> <li>P280 - Wear eye protection, face protection, protective clothing, protective gloves.</li> <li>P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower</li> <li>P370+P378 - In case of fire: Use alcohol resistant foam, carbon dioxide (CO2), dry sand to extinguish.</li> </ul>
Precautionary statements (GHS-US)	<ul> <li>smoking. heat, hot surfaces, open flames, sparks</li> <li>P233 - Keep container tightly closed.</li> <li>P240 - Ground/Bond container and receiving equipment</li> <li>P241 - Use explosion-proof electrical, lighting, ventilating equipment</li> <li>P242 - Use only non-sparking tools.</li> <li>P243 - Take precautionary measures against static discharge.</li> <li>P280 - Wear eye protection, face protection, protective clothing, protective gloves.</li> <li>P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower</li> <li>P370+P378 - In case of fire: Use alcohol resistant foam, carbon dioxide (CO2), dry sand to</li> </ul>
recautionary statements (GHS-US)	<ul> <li>smoking. heat, hot surfaces, open flames, sparks</li> <li>P233 - Keep container tightly closed.</li> <li>P240 - Ground/Bond container and receiving equipment</li> <li>P241 - Use explosion-proof electrical, lighting, ventilating equipment</li> <li>P242 - Use only non-sparking tools.</li> <li>P243 - Take precautionary measures against static discharge.</li> <li>P280 - Wear eye protection, face protection, protective clothing, protective gloves.</li> <li>P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower</li> <li>P370+P378 - In case of fire: Use alcohol resistant foam, carbon dioxide (CO2), dry sand to extinguish.</li> <li>P403+P235 - Store in a well-ventilated place. Keep cool.</li> <li>P501 - Dispose of contents/container to an approved waste disposal plant</li> </ul>

2.4. Unknown acute toxicity (GHS US)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/Inform 3.1. Substances				
		D 1 (11 (10	0(	
Name Methyl isovalerate		Product identifier (CAS-No.) 556-24-1	% 100	GHS-US classification Flam. Liq. 2, H225
(Main constituent)		(CAS-NO.) 556-24-1	100	Fiaiii. Liq. 2, H225
Full text of hazard classes and H-statements : se	e section 16			
3.2. Mixtures				
Not applicable				
SECTION 4: First-aid measures				
4.1. Description of first aid measu	res			
First-aid measures general	: Never give anything by n (show the label where po		son. If you f	feel unwell, seek medical advice
First-aid measures after inhalation	: Allow victim to breathe f	fresh air. Allow the victim to	rest.	
First-aid measures after skin contact	: Rinse skin with water/sl	nower. Remove/Take off imr	nediately a	ll contaminated clothing.
First-aid measures after eye contact	: Rinse immediately with persists.	plenty of water. Obtain medi	cal attentio	n if pain, blinking or redness
First-aid measures after ingestion	: Rinse mouth. Do NOT inc	duce vomiting. Obtain emerg	ency medic	cal attention.
4.2. Most important symptoms and	d effects (acute and delay	yed)		
Potential Adverse human health effects and symptoms	: Based on available data,	the classification criteria are	not met.	
Symptoms/effects	: Not expected to present	a significant hazard under ar	iticipated c	onditions of normal use.
4.3. Immediate medical attention	and special treatment, if	necessary		
No additional information available				
SECTION 5: Fire-fighting measur	es			
5.1. Suitable (and unsuitable) exti				
Suitable extinguishing media		on dioxide. Water spray. San	d.	
Unsuitable extinguishing media	: Do not use a heavy water	r stream.		
5.2. Specific hazards arising from	the chemical			
Fire hazard	: Highly flammable liquid	and vapour.		
Explosion hazard	: May form flammable/ex	-		
5.3. Special protective equipment	and precautions for fire-	fighters		
Firefighting instructions	: Use water spray or fog fo			caution when fighting any chemica
Protection during firefighting				luding respiratory protection.
				· · · ·
SECTION 6: Accidental release m				
6.1. Personal precautions, protect			the altest i	aharra Na ana Guun Na
General measures	: Remove ignition sources smoking.	s. Use special care to avoid sta	atic electric	c charges. No open flames. No
6.1.1. For non-emergency personnel				
Emergency procedures	: Evacuate unnecessary pe	ersonnel.		
6.1.2. For emergency responders				
Protective equipment	: Equip cleanup crew with	n proper protection.		
Emergency procedures	: Ventilate area.			
6.2. Environmental precautions				
Prevent entry to sewers and public waters. Noti	fy authorities if liquid enters se	wers or public waters.		
6.3. Methods and material for con	tainment and cleaning up	)		
Methods for cleaning up	: Soak up spills with inert spillage. Store away fron		naceous ear	rth as soon as possible. Collect

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.4. Reference to other section See Heading 8. Exposure controls and perso			
SECTION 7: Handling and stor	age		
7.1. Precautions for safe handl	ing		
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable.		
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. No open flames. No smoking. Use only non-sparking tools.		
7.2. Conditions for safe storage, including any incompatibilities			
Technical measures	: Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof chemical equipment.		
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Heat sources. Keep in fireproof place. Keep container tightly closed.		
Incompatible products	: Strong bases. Strong acids.		
Incompatible materials	: Sources of ignition. Direct sunlight. Heat sources.		

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

## No additional information available

## 8.2. Appropriate engineering controls

## No additional information available

8.3. Individual protection measures/Personal protective equipment

## Personal protective equipment:

Avoid all unnecessary exposure.

## Hand protection:

Wear protective gloves.

## Eye protection:

Chemical goggles or safety glasses

#### **Respiratory protection:**

Wear appropriate mask

#### Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties			
9.1. Information on basic physical and chemical properties			
Physical state	: Liquid		
Color	: water-white to slightly amber		
Odor	: Pungent apple aroma		
Odor threshold	: No data available		
pH	: No data available		
Melting point	: No data available		
Freezing point	: No data available		
Boiling point	: 114 - 115 °C		
Flash point	: 58 °F closed cup		
Relative evaporation rate (butyl acetate=1)	: No data available		
Flammability (solid, gas)	: Highly flammable liquid and vapour.		

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Specific gravity / density	: 0.878 - 0.881 g/ml
Molecular mass	: 116.16 g/mol
Solubility	: insoluble in water. soluble in alcohols.
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

## 9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

Section 10. Stability and reactivity		
10.1.	Reactivity	
No addit	ional information available	
10.2.	Chemical stability	
Highly fl	ammable liquid and vapour. May form flammable/explosive vapor-air mixture.	
10.3.	Possibility of hazardous reactions	
Not esta	blished.	

## 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame.

## 10.5. Incompatible materials

Strong acids. Strong bases.

## 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

## SECTION 11: Toxicological information 11.1. Information on toxicological effects

Acute toxicity	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity – single exposure	: Not classified
Specific target organ toxicity – repeated exposure	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.

SECTIC	N 12: Ecological information	n	
10.1	Toxicity		
12.1.	וסאוכונט		
No additional information available			
06/22/201	3	EN (English US)	4/7

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.2. Persistence and degradability		
Methyl isovalerate (556-24-1)		
Persistence and degradability	Not established.	
12.3. Bioaccumulative potential		
Methyl isovalerate (556-24-1)		
Bioaccumulative potential	Not established.	
12.4. Mobility in soil		

## 12.5. Other adverse effects

Other information

: Avoid release to the environment.

13.1. Disposal methods	
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to manufactur's suggestion for disposal.
Additional information	: Handle empty containers with care because residual vapors are flammable.
Ecology - waste materials	: Avoid release to the environment.

## Department of Transportation (DOT)

In accordance with DOT	
Transport document description	: UN2400 Methyl isovalerate, 3, II
UN-No.(DOT)	: UN2400
Proper Shipping Name (DOT)	: Methyl isovalerate
Class (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Packing group (DOT)	: II - Medium Danger
Hazard labels (DOT)	: 3 - Flammable liquid
	RUMMABLE EQUID 3
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 202
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
DOT Special Provisions (49 CFR 172.102)	<ul> <li>IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized. T4 - 2.65 178.274(d)(2) Normal</li></ul>
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 5L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 60 L
DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
Emergency Response Guide (ERG) Number	: 130
Other information	: No supplementary information available.
06/22/2018	EN (English US) 5/7

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **Transportation of Dangerous Goods**

## Transport by sea

#### Air transport

## SECTION 15: Regulatory information

15.1. US Federal regulations

Methyl isovalerate (556-24-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

## 15.2. International regulations

#### **CANADA**

## Methyl isovalerate (556-24-1)

Listed on the Canadian DSL (Domestic Substances List)

## **EU-Regulations**

Methyl isovalerate (556-24-1)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### National regulations

## Methyl isovalerate (556-24-1)

Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on the Korean ECL (Existing Chemicals List) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory)

# 15.3. US State regulations Methyl isovalerate (556-24-1) State or local regulations U.S. - New Jersey - Right to Know Hazardous Substance List

#### SECTION 16: Other information Other information : None. Full text of H-phrases: H225 Highly flammable liquid and vapour : 0 - Materials that, under emergency conditions, would offer NFPA health hazard no hazard beyond that of ordinary combustible materials. NFPA fire hazard : 3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions. NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hazard Rating	
Health	: 0 Minimal Hazard - No significant risk to health
Flammability	: 3 Serious Hazard - Materials capable of ignition under almost all normal temperature conditions. Includes flammable liquids with flash points below 73 F and boiling points above 100 F. as well as liquids with flash points between 73 F and 100 F. (Classes IB & IC)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.
Personal protection	: G G - Safety glasses, Gloves, Vapor respirator

## Synerzine US

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product