

Date of issue: 05/28/2015 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Substance name	: 1-Pentanol, 3-methyl-
CAS-No.	: 589-35-5
Product code	: (US) W1403
Formula	: C6H14O
Synonyms	: 3-Methyl-1-pentanol / 3-Methylpentan-1-ol / Pentanol, 3-methyl-
1.2. Recommended use and restr	rictions on use
No additional information available	
Supplier       Synerzine       5340 Hwy 42 S       Ellerwood Georgia 20204, USA	
Ellenwood, Georgia 30294 - USA T 404-524-6744 - F 404-577-1651 <u>info@synerzine.com</u> - <u>www.synerzine.com</u>	
1.4. Emergency telephone numb	
Emergency number	: Infotrac 1-800-535-5053 (Contract# 102471) Dial +1-352-323-3500 when outside the US
SECTION 2: Hazard(s) identific	ation
2.1. Classification of the substan	nce or mixture
GHS-US classification	
Flammable liquids Category H226	Flammable liquid and vapour
3 Skin corrosion/irritation H315	Causes skin irritation
Category 2 Serious eye damage/eye H319	Causes serious eye irritation
irritation Category 2A Specific target organ toxicity H335	May cause respiratory irritation
(single exposure) Category 3	
Full text of H statements : see section 16	
2.2. GHS Label elements, includi	ing precautionary statements
GHS-US labeling	
Hazard pictograms (GHS-US)	
Signal word (GHS-US)	: Warning
Hazard statements (GHS-US)	<ul> <li>H226 - Flammable liquid and vapour</li> <li>H315 - Causes skin irritation</li> <li>H319 - Causes serious eye irritation</li> <li>H335 - May cause respiratory irritation</li> </ul>
Precautionary statements (GHS-US)	<ul> <li>P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. heat, hot surfaces, open flames, sparks</li> <li>P233 - Keep container tightly closed.</li> <li>P240 - Ground/Bond container and receiving equipment</li> <li>P241 - Use explosion-proof electrical, lighting, ventilating equipment</li> <li>P242 - Use only non-sparking tools.</li> <li>P243 - Take precautionary measures against static discharge.</li> <li>P261 - Avoid breathing dust, fume, mist, gas, spray, vapors.</li> <li>P264 - Wash hands thoroughly after handling.</li> <li>P271 - Use only outdoors or in a well-ventilated area.</li> <li>P280 - Wear eye protection, face protection, protective clothing, protective gloves.</li> <li>P302+P352 - If on skin: Wash with plenty of water</li> </ul>
06/22/2018	EN (English US) Page 1

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P312 - Call a doctor, a POISON CENTER if you feel unwell P321 - Specific treatment (see first aid measures on this label) P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention. P362 - Take off contaminated clothing and wash before reuse. P370+P378 - In case of fire: Use alcohol resistant foam, carbon dioxide (CO2), dry sand to extinguish. P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P403+P235 - Store in a well-ventilated place. Keep cool. P405 - Store locked up. P501 - Dispose of contents/container to an approved waste disposal plant

No additional information available

Mixtures

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

3.2.

### SECTION 3: Composition/Information on ingredients

3	3.1. Substances			
	Name	Product identifier	%	GHS-US classification
	1-Pentanol, 3-methyl- (Main constituent)	(CAS-No.) 589-35-5	100	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335

### Full text of hazard classes and H-statements : see section 16

STET MIXCUTCS	
Not applicable	
SECTION 4: First-aid measures	
4.1. Description of first aid measur	res
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
First-aid measures after skin contact	<ul> <li>Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs: Wash with plenty of soap and water. Get medical advice/attention. Specific treatment (see first aid measures on this label).</li> </ul>
First-aid measures after eye contact	<ul> <li>Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Rinse immediately with plenty of water. Get medical advice/attention.</li> </ul>
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and	effects (acute and delayed)
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye irritation.

### 4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extin	guishing media
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.2. Specific hazards arising from th	e chemical
Fire hazard	: Flammable liquid and vapour.
Explosion hazard	: May form flammable/explosive vapor-air mixture.
5.3. Special protective equipment ar	nd precautions for fire-fighters
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release me	asures
6.1. Personal precautions, protectiv	e equipment and emergency procedures
General measures	: Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.
6.1.1. For non-emergency personnel Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders Protective equipment Emergency procedures	<ul><li>Equip cleanup crew with proper protection.</li><li>Ventilate area.</li></ul>
6.2. Environmental precautions	
•	authorities if liquid enters sewers or public waters.
6.3. Methods and material for conta	
Methods for cleaning up	<ul> <li>Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.</li> </ul>
6.4. Reference to other sections See Heading 8. Exposure controls and personal pro	otection.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling Additional hazards when processed	. Handle ampty containers with care because residual vanage are flommable
Precautions for safe handling	<ul> <li>Handle empty containers with care because residual vapors are flammable.</li> <li>Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. No open flames. No smoking. Take precautionary measures against static discharge. Use only non- sparking tools. Avoid breathing dust, fume, gas, mist, spray, vapors. Use only outdoors or in a well- ventilated area.</li> </ul>
Hygiene measures	: Wash hands thoroughly after handling.
7.2. Conditions for safe storage, inc	luding any incompatibilities
Technical measures	: Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof chemical equipment.
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Heat sources. Keep container tightly closed.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight. Heat sources.
SECTION & Exposure controls/no	

### SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

### 8.2. Appropriate engineering controls

No additional information available

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.3. Individual protection measures/Personal protective equipment

### Personal protective equipment:

Avoid all unnecessary exposure.

### Hand protection:

Wear protective gloves.

### Eye protection:

Chemical goggles or safety glasses

### Skin and body protection:

Wear suitable protective clothing

### **Respiratory protection:**

Wear appropriate mask

### Other information:

Do not eat, drink or smoke during use.

### SECTION 9: Physical and chemical properties

9.1. Information on basic physica	l and chemical properties
Physical state	: Liquid
Color	: Colorless
Odor	: No data available
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 151 - 152 °C
Flash point	: 138 °F TCC
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Flammable liquid and vapour.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Specific gravity / density	: 0.82 - 0.83 g/ml
Molecular mass	: 102.17678 g/mol
Solubility	: soluble in alcohols. insoluble in water.
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

### No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 10.2. Chemical stability

Flammable liquid and vapour. May form flammable/explosive vapor-air mixture.

### 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.

### 10.5. Incompatible materials

Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

### SECTION 11: Toxicological information

SECTION II. TOXICOTOGICAL INTOLINA	
11.1. Information on toxicological eff	ects
Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity – single exposure	: May cause respiratory irritation.
Specific target organ toxicity – repeated exposure	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye irritation.

### SECTION 12: Ecological information

# 12.1. Toxicity No additional information available 12.2. Persistence and degradability 1-Pentanol, 3-methyl- (589-35-5) Persistence and degradability Not established. 12.3. Bioaccumulative potential 1-Pentanol, 3-methyl- (589-35-5) Bioaccumulative potential 1.Pentanol, 3-methyl- (589-35-5) Bioaccumulative potential Not established.

No additional information available

12.5. Other adverse effects

Other information

: Avoid release to the environment.

SECTION 13: Disposal considerations		
13.1. Disposal methods		
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to manufactur's suggestion for disposal.	

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Additional information

Ecology - waste materials

: Handle empty containers with care because residual vapors are flammable. : Avoid release to the environment.

**SECTION 14: Transport information** 

### **Department of Transportation (DOT)**

In accordance with DOT

- Transport document description UN-No.(DOT) Proper Shipping Name (DOT) Class (DOT) Packing group (DOT) Hazard labels (DOT)
- : UN1987 Alcohols, n.o.s., 3, III
- : UN1987
- : Alcohols, n.o.s.
- : 3 Class 3 Flammable and combustible liquid 49 CFR 173.120
  - : III Minor Danger
  - : 3 Flammable liquid



DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Special Provisions (49 CFR 172.102)

- : 203 : 242 : 172 - This entry includes alcohol mixtures containing up to 5% petroleum products. B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672) T4 - 2.65 178.274(d)(2) Normal..... 178.275(d)(3) TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP29 - A portable tank having a minimum test pressure of 1.5 bar (150.0 kPa) may be used provided the calculated test pressure is 1.5 bar or less based on the MAWP of the hazardous materials, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP. DOT Packaging Exceptions (49 CFR 173.xxx) : 4b;150 DOT Quantity Limitations Passenger aircraft/rail : 60 L DOT Quantity Limitations Cargo aircraft only (49 : 220 L : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel. : No supplementary information available. **Transportation of Dangerous Goods** Transport document description (IMDG) : UN 1987 ALCOHOLS, N.O.S., 3, III : 1987 ALCOHOLS, N.O.S. : 3 - Flammable liquids
  - : III substances presenting low danger

### Air transport

(49 CFR 173.27)

Other information

**Transport by sea** 

UN-No. (IMDG)

Class (IMDG)

Packing group (IMDG)

Limited quantities (IMDG)

**DOT Vessel Stowage Location** 

Proper Shipping Name (IMDG)

CFR 175.75)

Transport document description (IATA)	:	UN 1987 Alcohols, n.o.s., 3, III

: 5 L

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

UN-No. (IATA)	: 1987
Proper Shipping Name (IATA)	: Alcohols, n.o.s.
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: III - Minor Danger

SECTION 15: Regulatory information	
15.1. US Federal regulations	
1-Pentanol, 3-methyl- (589-35-5)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	

### 15.2. International regulations

### CANADA

### 1-Pentanol, 3-methyl- (589-35-5)

Listed on the Canadian DSL (Domestic Substances List)

### **EU-Regulations**

### 1-Pentanol, 3-methyl- (589-35-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

### National regulations

### 1-Pentanol, 3-methyl- (589-35-5)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

### 15.3. US State regulations

No additional information available

### SECTION 16: Other information

Other information

: None.

Full text of H-phrases:

	H226	Flammable liquid and vapour
	H315	Causes skin irritation
	H319	Causes serious eye irritation
	H335	May cause respiratory irritation
NFPA health hazard		2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.
NFPA fire hazard		: 2 - Materials that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur.
NFPA reactivity		: 0 - Material that in themselves are normally stable, even under fire conditions.

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hazard Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II & IIIA)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.
Personal protection	: B B - Safety glasses, Gloves

### Synerzine US

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product