

synerzine Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 05/28/2015

SECTION 1: Identification	
1. Identification	
Product form	: Substance
ubstance name	: Propanoic acid, 2-methyl-, propyl ester
AS-No.	: 644-49-5
roduct code	: (US) W1733
ormula	: C7H14O2
ynonyms	: Propyl isobutyrate / N-Propyl isobutyrate / n-Propyl 2-methyl propanoate / n-Propyl isobutyrate / Propanoate, 2-methyl-, propyl
.2. Recommended use and restr	ictions on use
lo additional information available	
.3. Supplier	
Synerzine 5340 Hwy 42 S Ellenwood, Georgia 30294 - USA F 404-524-6744 - F 404-577-1651 <u>nfo@synerzine.com</u> - <u>www.synerzine.com</u>	
.4. Emergency telephone number	er
Emergency number	: Infotrac 1-800-535-5053 (Contract# 102471) Dial +1-352-323-3500 when outside the US
SECTION 2: Hazard(s) identific	ation
.1. Classification of the substan	
HS-US classification	
lammable liquids Category H226	Flammable liquid and vapour
'ull text of H statements : see section 16	
.2. GHS Label elements, includi	ng precautionary statements
HS-US labeling	
lazard pictograms (GHS-US)	: 🔥
gnal word (GHS-US)	: Warning
azard statements (GHS-US)	: H226 - Flammable liquid and vapour
	· IIII · IIIIIII · IIIIIIII · IIIIIIII · IIIIII
	<ul> <li>P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. heat, hot surfaces, open flames, sparks P233 - Keep container tightly closed.</li> </ul>
	<ul> <li>P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking, heat, hot surfaces, open flames, sparks</li> </ul>
	<ul> <li>P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking, heat, hot surfaces, open flames, sparks</li> <li>P233 - Keep container tightly closed.</li> <li>P240 - Ground/Bond container and receiving equipment</li> <li>P241 - Use explosion-proof electrical, lighting, ventilating equipment</li> <li>P242 - Use only non-sparking tools.</li> <li>P243 - Take precautionary measures against static discharge.</li> <li>P280 - Wear eye protection, face protection, protective clothing, protective gloves.</li> <li>P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower</li> <li>P370+P378 - In case of fire: Use alcohol resistant foam, carbon dioxide (CO2), dry sand to</li> </ul>
Precautionary statements (GHS-US)	<ul> <li>P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking, heat, hot surfaces, open flames, sparks</li> <li>P233 - Keep container tightly closed.</li> <li>P240 - Ground/Bond container and receiving equipment</li> <li>P241 - Use explosion-proof electrical, lighting, ventilating equipment</li> <li>P242 - Use only non-sparking tools.</li> <li>P243 - Take precautionary measures against static discharge.</li> <li>P280 - Wear eye protection, face protection, protective clothing, protective gloves.</li> <li>P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower</li> </ul>

## No additional information available

## 2.4. Unknown acute toxicity (GHS US)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ECTION 3: Composition/Inform .1. Substances				
Name		Product identifier	%	GHS-US classification
Propanoic acid, 2-methyl-, propyl ester (Main constituent)		(CAS-No.) 644-49-5	100	Flam. Liq. 3, H226
Full text of hazard classes and H-statements : s	ee section 16			
3.2. Mixtures				
Not applicable				
SECTION 4: First-aid measures				
4.1. Description of first aid measured	ures			
<sup>7</sup> irst-aid measures general	: Never give anything (show the label wher		son. If you	feel unwell, seek medical advice
First-aid measures after inhalation	: Allow victim to breat	he fresh air. Allow the victim to	rest.	
First-aid measures after skin contact	: Remove/Take off im	mediately all contaminated cloth	ing. Rinse	skin with water/shower.
First-aid measures after eye contact	: Rinse immediately w persists.	ith plenty of water. Obtain medi	cal attentic	on if pain, blinking or redness
First-aid measures after ingestion	: Rinse mouth. Do NOT	induce vomiting. Obtain emerg	ency medio	cal attention.
4.2. Most important symptoms an	d effects (acute and de	elayed)		
Potential Adverse human health effects and symptoms	: Based on available da	ata, the classification criteria are	not met.	
Symptoms/effects	: Not expected to pres	ent a significant hazard under ar	nticipated o	conditions of normal use.
4.3. Immediate medical attention	and special treatment	, if necessary		
No additional information available				
SECTION 5: Fire-fighting measu	res			
5.1. Suitable (and unsuitable) ext	inguishing media			
Suitable extinguishing media	: Foam. Dry powder. C	arbon dioxide. Water spray. San	d.	
Jnsuitable extinguishing media	: Do not use a heavy w	ater stream.		
5.2. Specific hazards arising from	the chemical			
Fire hazard	: Flammable liquid and	l vapour.		
Explosion hazard	_	/explosive vapor-air mixture.		
5.3. Special protective equipment	t and precautions for fi	re-fighters		
Firefighting instructions	: Use water spray or fo			caution when fighting any chemica
Protection during firefighting		without proper protective equi		luding respiratory protection.
SECTION 6: Accidental release r	measures			
6.1. Personal precautions, protec		ergency procedures		
General measures		rces. Use special care to avoid st	atic electric	c charges. No open flames. No
6.1.1. For non-emergency personnel				
Emergency procedures	: Evacuate unnecessar	v personnel.		
	. 2. actuate annecessar	, <u></u>		
6.1.2. For emergency responders		11		
Protective equipment		vith proper protection.		
Emergency procedures	: Ventilate area.			
6.2. Environmental precautions				
Prevent entry to sewers and public waters. Not	tify authorities if liquid enter	s sewers or public waters.		
6.3. Methods and material for co	ntainment and cleaning	up		
Methods for cleaning up		ert solids, such as clay or diaton rom other materials.	naceous ea	rth as soon as possible. Collect

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.4. Reference to other sections	
See Heading 8. Exposure controls and personal prot	ection.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable.
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. No open flames. No smoking. Take precautionary measures against static discharge. Use only non- sparking tools.
7.2. Conditions for safe storage, inclu	iding any incompatibilities
Technical measures	: Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof chemical equipment.
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Heat sources. Keep container tightly closed.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight. Heat sources.

## SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

## 8.2. Appropriate engineering controls

No additional information available

8.3. Individual protection measures/Personal protective equipment

### Personal protective equipment:

Avoid all unnecessary exposure.

#### Hand protection:

Wear protective gloves.

#### Eye protection:

Chemical goggles or safety glasses

### **Respiratory protection:**

Wear appropriate mask

#### Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical	and chemical properties	
Physical state	: Liquid	
Color	: Colorless	
Odor	: sweet, ripe, fruity, tropical, melon, berry odor	
Odor threshold	: No data available	
pH	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: 133 - 134 °C	
Flash point	: 80 °F	
Relative evaporation rate (butyl acetate=1)	: No data available	

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Flammability (solid, gas)	:	Flammable liquid and vapour.
Vapor pressure	:	No data available
Relative vapor density at 20 °C	:	No data available
Relative density	:	No data available
Specific gravity / density	:	0.86 - 0.87 g/ml
Molecular mass	:	130.18 g/mol
Solubility	:	soluble in alcohols. insoluble in water.
Log Pow	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity, kinematic	:	No data available
Viscosity, dynamic	:	No data available
Explosion limits	:	No data available
Explosive properties	:	No data available
Oxidizing properties	:	No data available

### 9.2. Other information

No additional information available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

Flammable liquid and vapour. May form flammable/explosive vapor-air mixture.

### 10.3. Possibility of hazardous reactions

Not established.

## 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.

### 10.5. Incompatible materials

Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

### SECTION 11: Toxicological information

11.1. Information on toxicological eff	ects
Acute toxicity	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity – single exposure	: Not classified
Specific target organ toxicity – repeated exposure	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and	: Based on available data, the classification criteria are not met.
symptoms Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 12: Ecological information	
12.1. Toxicity	
No additional information available	
12.2. Persistence and degradability	
Propanoic acid, 2-methyl-, propyl ester (644-49	-5)
Persistence and degradability	Not established.
12.3. Bioaccumulative potential	
Propanoic acid, 2-methyl-, propyl ester (644-49	-5)
Bioaccumulative potential	Not established.
12.4. Mobility in soil	
No additional information available	

12.5. Other adverse effects

Other information

: Avoid release to the environment.

SECTION 13: Disposal considerations		
13.1. Disposal methods		
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to manufactur's suggestion for disposal.	
Additional information	: Handle empty containers with care because residual vapors are flammable.	
Ecology - waste materials	: Avoid release to the environment.	
SECTION 14: Transport information		

## Department of Transportation (DOT)

In accordance with DOT

Transport document description	: UN3272 Esters, n.o.s., 3, III
UN-No.(DOT)	: UN3272
Proper Shipping Name (DOT)	: Esters, n.o.s.
Class (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Packing group (DOT)	: III - Minor Danger
Hazard labels (DOT)	: 3 - Flammable liquid

DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Special Provisions (49 CFR 172.102)

- : 203

: 242

: B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable.

IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T4 - 2.65 178.274(d)(2) Normal..... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP29 - A portable tank having a minimum test pressure of 1.5 bar (150.0 kPa) may be used provided the calculated test pressure is 1.5 bar or less based on the MAWP of the hazardous materials, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Other information	: No supplementary information available.
Transportation of Dangerous Goods	
Transport by sea	
Transport document description (IMDG)	: UN 3272 ESTERS, N.O.S., 3, III
UN-No. (IMDG)	: 3272
Proper Shipping Name (IMDG)	: ESTERS, N.O.S.
Class (IMDG)	: 3 - Flammable liquids
Packing group (IMDG)	: III - substances presenting low danger
Limited quantities (IMDG)	: 5 L
Air transport	
Transport document description (IATA)	: UN 3272 Esters, n.o.s., 3, III
UN-No. (IATA)	: 3272
Proper Shipping Name (IATA)	: Esters, n.o.s.
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: III - Minor Danger

#### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

No additional information available

## 15.2. International regulations **CANADA** Propanoic acid, 2-methyl-, propyl ester (644-49-5) Listed on the Canadian NDSL (Non-Domestic Substances List) **EU-Regulations** Propanoic acid, 2-methyl-, propyl ester (644-49-5) Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### National regulations

Propanoic acid, 2-methyl-, propyl ester (644-49-5) Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on the Korean ECL (Existing Chemicals List) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory)

### 15.3. US State regulations

No additional information available

## **SECTION 16: Other information** : None.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

H226	Flammable liquid and vapour
NFPA health hazard	: 0 - Materials that, under emergency conditions, would offer no hazard beyond that of ordinary combustible materials.
NFPA fire hazard	<ul> <li>3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions.</li> </ul>
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.
Hazard Rating	
Health	: 0 Minimal Hazard - No significant risk to health
Flammability	: 3 Serious Hazard - Materials capable of ignition under almost all normal temperature conditions. Includes flammable liquids with flash points below 73 F and boiling points above 100 F. as well as liquids with flash points between 73 F and 100 F. (Classes IB & IC)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.
Personal protection	: B
	B - Safety glasses, Gloves

#### Synerzine US

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product