

Trithioacetone

synerzine Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 06/08/2015

SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Substance name	: Trithioacetone
Chemical name	: 2,2,4,4,6,6-hexamethyl-1,3,5-trithiane
CAS-No.	: 828-26-2
Product code	: (US) W1789
Formula	: C9H18S3
Synonyms	: 2,2,4,4,6,6-Hexamethyl-1,3,5-trithiane / Trithiane(1,3,5), 2,2,4,4,6,6-hexamethyl- / s-Trithiane, 2,2,4,4,6,6-hexamethyl- / Trithioacetone / 1,3,5-Trithiane,2,2,4,4,6,6-hexamethyl-
1.2. Recommended use and restrict	ions on use
Use of the substance/mixture	: Flavor and/or Fragrance
1.3. Supplier	
Synerzine 5340 Hwy 42 S Ellenwood, Georgia 30294 - USA T 404-524-6744 - F 404-577-1651 info@synerzine.com - www.synerzine.com	
1.4. Emergency telephone number	
Emergency number	: Infotrac 1-800-535-5053 (Contract# 102471) Dial +1-352-323-3500 when outside the US
SECTION 2: Hazard(s) identificati	ion
2.1. Classification of the substance	or mixture
GHS-US classification	
Skin corrosion/irritation H315	Causes skin irritation
Category 2 Serious eye damage/eye H319	Causes serious eye irritation
irritation Category 2A Specific target organ toxicity H335	May cause respiratory irritation
(single exposure) Category 3 Full text of H statements : see section 16	
2.2. GHS Label elements, including	precautionary statements
GHS-US labeling	•
Hazard pictograms (GHS-US)	
Signal word (GHS-US)	: Warning
Hazard statements (GHS-US)	: H315 - Causes skin irritation
	H319 - Causes serious eye irritation H335 - May cause respiratory irritation
Precautionary statements (GHS-US)	 P261 - Avoid breathing fume, gas, mist, spray, vapors. P264 - Wash hands, forearms and face thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area. P280 - Wear eye protection, face protection, protective clothing, protective gloves. P302+P352 - If on skin: Wash with plenty of soap and water P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
	P312 - Call a POISON CENTER, a doctor if you feel unwell P321 - Specific treatment (see supplemental first aid instructions on this label) P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention. P362 - Take off contaminated clothing and wash before reuse.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	<i>,</i> ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
	P405 - Store locked up.	rell-ventilated place. Keep co ts/container to Collection po	-	tly closed.
2.3. Other hazards which do not	-			
No additional information available				
2.4. Unknown acute toxicity (GF	IS US)			
Not applicable				
SECTION 3: Composition/Infor	mation on ingredients			
3.1. Substances			_	
Name		Product identifier	%	GHS-US classification
Trithioacetone (Main constituent)		(CAS-No.) 828-26-2	98 - 100	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Full text of hazard classes and H-statements	: see section 16			4
3.2. Mixtures				
Not applicable				
SECTION 4: First-aid measures				
4.1. Description of first aid mea		on (nhuaiaian if fa al	rall	
First-aid measures general First-aid measures after inhalation	: Call a poison center/doct			all a noison
	 Remove person to fresh a center/doctor/physician Wash skin with plenty of 	if you feel unwell.		-
First-aid measures after skin contact	medical advice/attention		-	
First-aid measures after eye contact	Continue rinsing. If eye in	ritation persists: Get medica	al advice/atte	lenses, if present and easy to do. ention.
First-aid measures after ingestion	: Call a poison center/doct		vell.	
	and effects (acute and delay	ed)		
Symptoms/effects after inhalation	: May cause respiratory irr	ritation.		
Symptoms/effects after skin contact	: Irritation.			
Symptoms/effects after eye contact	: Eye irritation.			
4.3. Immediate medical attentio	on and special treatment, if	necessary		
Treat symptomatically.				
SECTION 5: Fire-fighting meas	ures			
5.1. Suitable (and unsuitable) e				
Suitable extinguishing media	: Water spray. Dry powder	. Foam. Carbon dioxide.		
0 0				
5.2. Specific hazards arising from Reactivity	: The product is non-reacti	ive under normal conditions	of use store	ge and transport
	-		of use, stora	
	nt and precautions for fire-			
Protection during firefighting	: Do not attempt to take ac apparatus. Complete prot		tive equipme	ent. Self-contained breathing
SECTION 6: Accidental release	measures			
6.1. Personal precautions, prote	ective equipment and emerg	ency procedures		
6.1.1. For non-emergency personnel	. Vontilate millage area A-	roid broathing from a gas	at aprov wa	ore Avoid contact with alive
Emergency procedures	eyes.	volu breathing tume, gas, mi	sı, spray, vap	oors. Avoid contact with skin and
6.1.2. For emergency responders				
Protective equipment		tion without suitable protec ontrols/personal protection		ent. For further information refer
6.2. Environmental precautions				
Avoid release to the environment.				
06/22/2018	ENI (English LIC)			2/7

Safety Data Sheet

5.3. Methods and material for	containment and cleaning up
Aethods for cleaning up	: Take up liquid spill into absorbent material.
Other information	: Dispose of materials or solid residues at an authorized site.
5.4. Reference to other section	ns
For further information refer to section 13	
SECTION 7: Handling and sto	rage
7.1. Precautions for safe hand	ling
Precautions for safe handling	: Use only outdoors or in a well-ventilated area. Avoid breathing fume, gas, mist, spray, vapors. Avoid contact with skin and eyes. Wear personal protective equipment.
lygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storag	e, including any incompatibilities
Storage conditions	: Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.
SECTION 8: Exposure control	s/nersonal protection
3.1. Control parameters	
No additional information available	
3.2. Appropriate engineering o	
3.2. Appropriate engineering of Appropriate engineering controls	controls Ensure good ventilation of the work station. Avoid release to the environment.
3.2. Appropriate engineering of Appropriate engineering controls Environmental exposure controls	Ensure good ventilation of the work station.Avoid release to the environment.
B.2.Appropriate engineering ofAppropriate engineering controlsEnvironmental exposure controlsB.3.Individual protection mean	: Ensure good ventilation of the work station.
B.2. Appropriate engineering controls Appropriate engineering controls Environmental exposure controls B.3. Individual protection mean Hand protection:	Ensure good ventilation of the work station.Avoid release to the environment.
B.2.Appropriate engineering ofAppropriate engineering controlsEnvironmental exposure controlsB.3.Individual protection mean	Ensure good ventilation of the work station.Avoid release to the environment.
B.2. Appropriate engineering controls Appropriate engineering controls Environmental exposure controls B.3. Individual protection mean Hand protection:	Ensure good ventilation of the work station.Avoid release to the environment.
3.2. Appropriate engineering of Appropriate engineering controls Appropriate engineering controls Convironmental exposure controls 3.3. Individual protection mean thand protection: Protective gloves	Ensure good ventilation of the work station.Avoid release to the environment.
8.2. Appropriate engineering of Appropriate engineering controls Appropriate engineering controls Environmental exposure controls 8.3. Individual protection mea Hand protection: Protective gloves Eye protection:	Ensure good ventilation of the work station.Avoid release to the environment.
3.2. Appropriate engineering of Appropriate engineering controls Appropriate engineering controls Servironmental exposure controls 3.3. Individual protection mean transformed protection: Protective gloves Experimental exposure Safety glasses	Ensure good ventilation of the work station.Avoid release to the environment.
3.2. Appropriate engineering controls Appropriate engineering controls Environmental exposure controls 3.3. Individual protection mean Hand protection: Protective gloves Experimental exposure Safety glasses Skin and body protection:	Ensure good ventilation of the work station.Avoid release to the environment.
3.2. Appropriate engineering controls Appropriate engineering controls Environmental exposure controls 3. Individual protection mean Hand protection: Protective gloves Eye protection: Safety glasses Skin and body protection: Wear suitable protective clothing	 Ensure good ventilation of the work station. Avoid release to the environment.
3.2. Appropriate engineering controls Appropriate engineering controls Environmental exposure controls 3.3. Individual protection mea Hand protection: Protective gloves Eye protection: Safety glasses Skin and body protection: Wear suitable protective clothing Respiratory protection: n case of insufficient ventilation, wear suit	 Ensure good ventilation of the work station. Avoid release to the environment. sures/Personal protective equipment eable respiratory equipment
3.2. Appropriate engineering controls Appropriate engineering controls Servironmental exposure controls 3.3. Individual protection measure Hand protection: Protective gloves Expe protection: Safety glasses Skin and body protection: Wear suitable protective clothing Respiratory protection: In case of insufficient ventilation, wear suitable SECTION 9: Physical and cheil	 Ensure good ventilation of the work station. Avoid release to the environment. sures/Personal protective equipment cable respiratory equipment mical properties
3.2. Appropriate engineering controls Appropriate engineering controls Servironmental exposure controls 3.3. Individual protection measure Hand protection: Protective gloves Expe protection: Safety glasses Skin and body protection: Wear suitable protective clothing Respiratory protection: In case of insufficient ventilation, wear suitable SECTION 9: Physical and cheil	 Ensure good ventilation of the work station. Avoid release to the environment. sures/Personal protective equipment eable respiratory equipment

Appearance	: A colorless to yellow, clear liquid.
Color	: colorless to yellow
Odor	: green sulfurous burnt odor earthy
Odor threshold	: No data available
pH	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: 105 °C @10mmHg
Flash point	: 207 °F Closed Cup
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative density	:	No data available
Specific gravity / density	:	1.05 - 1.07 g/ml
Solubility	:	Slighltly soluble in water. Soluble in alcohols.
Log Pow	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity, kinematic	:	No data available
Viscosity, dynamic	:	No data available
Explosion limits	:	No data available
Explosive properties	:	No data available
Oxidizing properties	:	No data available

9.2. Other information

No additional information available

	SECTION 10	D: Stability ar	nd reactivity
--	------------	-----------------	---------------

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

SECTION II. TOXICOlogical Informa		
11.1. Information on toxicological effects		
Acute toxicity	: Not classified	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
Specific target organ toxicity – single exposure	: May cause respiratory irritation.	
Specific target organ toxicity – repeated exposure	: Not classified	
Aspiration hazard	: Not classified	
Symptoms/effects after inhalation	: May cause respiratory irritation.	
Symptoms/effects after skin contact	: Irritation.	
Symptoms/effects after eye contact	: Eye irritation.	

SECTION 12: Ecological information 12.1. Toxicity Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 58 / Monday, Ma	arch 26, 2012 / Rules and Regulations
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
No additional information available	
SECTION 13: Disposal consideratio	ns
13.1. Disposal methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
SECTION 14: Transport information	n
Department of Transportation (DOT)	
In accordance with DOT	
Transport document description	: UN3334 Aviation regulated liquid, n.o.s. (2,2,4,4,6,6-hexamethyl-1,3,5-trithiane), 9
UN-No.(DOT)	: UN3334 Aviation regulated inquit, it.o.s. (2,2,4,4,0,0-nexametry)-1,5,5-0 fumane), 9
Proper Shipping Name (DOT)	: Aviation regulated liquid, n.o.s.
	2,2,4,4,6,6-hexamethyl-1,3,5-trithiane
Class (DOT)	: 9 - Class 9 - Miscellaneous hazardous material 49 CFR 173.140
Hazard labels (DOT)	: 9 - Class 9 (Miscellaneous dangerous materials)
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 204
DOT Symbols	: A - Material is regulated as a hazardous material only when transported by air,G - Identifies PSN requiring a technical name
DOT Special Provisions (49 CFR 172.102)	: A35 - This includes any material which is not covered by any of the other classes but which has an anesthetic, narcotic, noxious or other similar properties such that, in the event of spillage or leakage on an aircraft, extreme annoyance or discomfort could be caused to crew members so as to prevent the correct performance of assigned duties.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 155
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 450 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 450 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Other information	: No supplementary information available.
Transportation of Dangerous Goods	
Transport by sea	
Limited quantities (IMDG)	: 0
Air transport	
Transport document description (IATA)	: UN 3334 Aviation regulated liquid, n.o.s., 9, III
UN-No. (IATA)	: 3334

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Proper Shipping Name (IATA)
Class (IATA)
Packing group (IATA)

- : Aviation regulated liquid, n.o.s.
- : 9 Miscellaneous Dangerous Goods
- : III Minor Danger

SECTION 15: Regulatory information 15.1. US Federal regulations

Trithioacetone (828-26-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

SARA Section 311/312 Hazard Classes Immediate (acute) health hazard

15.2. International regulations

CANADA

Trithioacetone (828-26-2)

Listed on the Canadian NDSL (Non-Domestic Substances List)

EU-Regulations

Trithioacetone (828-26-2)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

National regulations

Trithioacetone (828-26-2)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

15.3. US State regulations

Trithioacetone (828-26-2) State or local regulations U.S. - Pennsylvania - RTK (Right to Know) List U.S. - New Jersey - Right to Know Hazardous Substance List

SECTION 16: Other information

Full text of H-phrases:	
H315	Causes skin irritation
Н319	Causes serious eye irritation
H335	May cause respiratory irritation
NFPA health hazard	: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.
NFPA fire hazard	: 1 - Materials that must be preheated before ignition can occur.
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.
Hazard Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NO'I react with water, polymerize, decompose, condense, or self-react. Non-Explosives.
Personal protection	: C
	C - Safety glasses, Gloves, Synthetic apron

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Synerzine US

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product