

synerzine Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 05/28/2015 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Substance name	: 2-Hexenoic acid, methyl ester
CAS-No.	: 2396-77-2
Product code	: (US) W1827
Formula	: C7H12O2
Synonyms	: Methyl hex-2-enoate / Methyl 2-hexenoate
1.2. Recommended use and res	strictions on use
No additional information available	
1.3. Supplier	
Synerzine 5340 Hwy 42 S Ellenwood, Georgia 30294 - USA T 404-524-6744 - F 404-577-1651 <u>info@synerzine.com</u> - <u>www.synerzine.com</u>	L
1.4. Emergency telephone num	ıber
Emergency number	: Infotrac 1-800-535-5053 (Contract# 102471) Dial +1-352-323-3500 when outside the US
SECTION 2: Hazard(s) identif	ication
2.1. Classification of the subst	
GHS-US classification	
Flammable liquids Category H226 3	Flammable liquid and vapour
Skin corrosion/irritation H315	Causes skin irritation
Category 2 Serious eye damage/eye H319	Causes serious eye irritation
irritation Category 2A Specific target organ toxicity H335 (single exposure) Category 3	May cause respiratory irritation
Full text of H statements : see section 16	
2.2. GHS Label elements, inclu	ding precautionary statements
GHS-US labeling	
Hazard pictograms (GHS-US)	
Signal word (GHS-US)	: Warning
Hazard statements (GHS-US)	: H226 - Flammable liquid and vapour H315 - Causes skin irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation
Precautionary statements (GHS-US)	<ul> <li>P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. heat, hot surfaces, open flames, sparks</li> <li>P233 - Keep container tightly closed.</li> <li>P240 - Ground/Bond container and receiving equipment</li> <li>P241 - Use explosion-proof electrical, lighting, ventilating equipment</li> <li>P242 - Use only non-sparking tools.</li> <li>P243 - Take precautionary measures against static discharge.</li> <li>P261 - Avoid breathing dust, fume, gas, mist, spray, vapors.</li> <li>P264 - Wash hands thoroughly after handling.</li> <li>P271 - Use only outdoors or in a well-ventilated area.</li> <li>P280 - Wear eve protection face protection protective clothing protective gloves.</li> </ul>

P280 - Wear eye protection, face protection, protective clothing, protective gloves.

P302+P352 - If on skin: Wash with plenty of water

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P312 - Call a doctor, a POISON CENTER if you feel unwell P321 - Specific treatment (see first aid measures on this label) P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention. P362 - Take off contaminated clothing and wash before reuse. P370+P378 - In case of fire: Use alcohol resistant foam, carbon dioxide (CO2), dry sand to extinguish. P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P403+P235 - Store in a well-ventilated place. Keep cool. P405 - Store locked up. P501 - Dispose of contents/container to an approved waste disposal plant

2.3. Other hazards which do not result in classification

## No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

3.2. Mixtures

## SECTION 3: Composition/Information on ingredients

3.1. Substances			
Name	Product identifier	%	GHS-US classification
2-Hexenoic acid, methyl ester (Main constituent)	(CAS-No.) 2396-77-2	100	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335

#### Full text of hazard classes and H-statements : see section 16

5.2. WIXtures	
Not applicable	
SECTION 4: First-aid measures	
4.1. Description of first aid measur	5
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
First-aid measures after skin contact	: Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs: Wash with plenty of soap and water. Get medical advice/attention. Specific treatment (see first aid measures on this label).
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Rinse immediately with plenty of water. Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and	ffects (acute and delayed)
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye irritation.

# 4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures		
.1. Suitable (and unsuitable) extinguishing media		
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.	
Unsuitable extinguishing media	: Do not use a heavy water stream.	

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.2. Specific hazards arising from	the chemical
Fire hazard	: Flammable liquid and vapour.
Explosion hazard	: May form flammable/explosive vapor-air mixture.
5.3. Special protective equipment	and precautions for fire-fighters
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release m	leasures
6.1. Personal precautions, protect	ive equipment and emergency procedures
General measures	: Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.
6.1.1. For non-emergency personnel Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders Protective equipment Emergency procedures	<ul><li>Equip cleanup crew with proper protection.</li><li>Ventilate area.</li></ul>
6.2. Environmental precautions	
Prevent entry to sewers and public waters. Noti	fy authorities if liquid enters sewers or public waters.
6.3. Methods and material for con	tainment and cleaning up
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
6.4. Reference to other sections See Heading 8. Exposure controls and personal	protection
SECTION 7: Handling and storag	
7.1. Precautions for safe handling	
Additional hazards when processed Precautions for safe handling	<ul> <li>Handle empty containers with care because residual vapors are flammable.</li> <li>Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. No open flames. No smoking. Take precautionary measures against static discharge. Use only non- sparking tools. Avoid breathing dust, fume, gas, mist, spray, vapors. Use only outdoors or in a well- ventilated area.</li> </ul>
Hygiene measures	: Wash hands thoroughly after handling.
7.2. Conditions for safe storage, in	icluding any incompatibilities
Technical measures	: Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof chemical equipment.
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Heat sources. Keep container tightly closed.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight. Heat sources.
CECTION & Experime controls/n	

# SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

# 8.2. Appropriate engineering controls

No additional information available

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.3. Individual protection measures/Personal protective equipment

## Personal protective equipment:

Avoid all unnecessary exposure.

#### Hand protection:

Wear protective gloves.

#### Eye protection:

Chemical goggles or safety glasses

#### Skin and body protection:

Wear suitable protective clothing

#### **Respiratory protection:**

Wear appropriate mask

#### Other information:

Do not eat, drink or smoke during use.

# SECTION 9: Physical and chemical properties

Physical state : Liquid	
<b>1</b>	
Color : water-white	
Odor : green, musty, earthy sweet fruity	
Odor threshold : No data available	
pH : No data available	
Melting point : No data available	
Freezing point : No data available	
Boiling point : 56 - 58 °C @ 13 mmHg	
Flash point   : 113 °F closed cup	
Relative evaporation rate (butyl acetate=1) : No data available	
Flammability (solid, gas) : Flammable liquid and vapour.	
Vapor pressure : No data available	
Relative vapor density at 20 °C : No data available	
Relative density : No data available	
Specific gravity / density : 0.91 - 0.93	
Molecular mass : 128.17 g/mol	
Solubility : insoluble in water. soluble in alcohols. glycols.	
Log Pow : No data available	
Auto-ignition temperature : No data available	
Decomposition temperature : No data available	
Viscosity, kinematic : No data available	
Viscosity, dynamic : No data available	
Explosion limits : No data available	
Explosive properties : No data available	
Oxidizing properties : No data available	

# 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

# 10.1. Reactivity

No additional information available

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## 10.2. Chemical stability

Flammable liquid and vapour. May form flammable/explosive vapor-air mixture.

# 10.3. Possibility of hazardous reactions

Not established.

# 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.

# 10.5. Incompatible materials

Strong acids. Strong bases.

#### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

# SECTION 11: Toxicological information

Section 11. Toxicological information		
11.1. Information on toxicological eff	ects	
Acute toxicity	: Not classified	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
Specific target organ toxicity – single exposure	: May cause respiratory irritation.	
Specific target organ toxicity – repeated exposure	: Not classified	
Aspiration hazard	: Not classified	
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.	
Symptoms/effects after inhalation	: May cause respiratory irritation.	
Symptoms/effects after skin contact	: Causes skin irritation.	
Symptoms/effects after eye contact	: Causes serious eye irritation.	

# SECTION 12: Ecological information

# 12.1. Toxicity No additional information available 12.2. Persistence and degradability 2-Hexenoic acid, methyl ester (2396-77-2) Persistence and degradability Not established. 12.3. Bioaccumulative potential 2-Hexenoic acid, methyl ester (2396-77-2) Bioaccumulative potential 12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other information

: Avoid release to the environment.

SECTION 13: Disposal considerations		
13.1. Disposal methods		
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to manufactur's suggestion for disposal.	

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Additional information

Ecology - waste materials

: Handle empty containers with care because residual vapors are flammable. : Avoid release to the environment.

SECTION 14: Transport information

## **Department of Transportation (DOT)**

In accordance with DOT

Transport document description UN-No.(DOT) Proper Shipping Name (DOT) Class (DOT) Packing group (DOT) Hazard labels (DOT)

: UN1993 Flammable liquids, n.o.s., 3, III

- : UN1993
- : Flammable liquids, n.o.s.
- : 3 Class 3 Flammable and combustible liquid 49 CFR 173.120
  - : III Minor Danger
  - : 3 Flammable liquid



: 203 : 242

DOT Packaging Non Bulk (49 CFR 173.xxx)
DOT Packaging Bulk (49 CFR 173.xxx)
DOT Symbols
DOT Special Provisions (49 CFR 172.102)

Limited quantities (IMDG)

Class (IMDG) Packing group (IMDG)

DOT Symbols	G - Identifies PSN requiring a technical name
DOT Special Provisions (49 CFR 172.102)	<ul> <li>B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bull packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable.</li> <li>B52 - Notwithstanding the provisions of 173.24b of this subchapter, non-reclosing pressure relief devices are authorized on DOT 57 portable tanks.</li> <li>IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HD2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).</li> <li>T4 - 2.65 178.274(d)(2) Normal</li></ul>
DOT Packaging Exceptions (49 CFR 173.xxx)	150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	220 L
DOT Vessel Stowage Location	A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Other information	No supplementary information available.
Transportation of Dangerous Goods	
Transport by sea	
Transport document description (IMDG) UN-No. (IMDG) Proper Shipping Name (IMDG)	UN 1993 FLAMMABLE LIQUID, N.O.S., 3, III 1993 FLAMMABLE LIQUID, N.O.S.
Class (IMDG)	3 - Flammable liquids

: 5 L

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## Air transport

Transport document description (IATA)	: UN 1993 Flammable liquid, n.o.s., 3, III
UN-No. (IATA)	: 1993
Proper Shipping Name (IATA)	: Flammable liquid, n.o.s.
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: III - Minor Danger

# SECTION 15: Regulatory information

15.1. US Federal regulations

2-Hexenoic acid, methyl ester (2396-77-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

## 15.2. International regulations

## CANADA

2-Hexenoic acid, methyl ester (2396-77-2) Listed on the Canadian DSL (Domestic Substances List)

#### **EU-Regulations**

No additional information available

#### National regulations

2-Hexenoic acid, methyl ester (2396-77-2) Listed on the AICS (Australian Inventory of Chemical Substances) Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on the Korean ECL (Existing Chemicals List) Listed on NZIOC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory)

#### 15.3. US State regulations

No additional information available

# SECTION 16: Other information

Other information

: None.

#### Full text of H-phrases:

	H226	Flammable liquid and vapour
	H315	Causes skin irritation
	H319	Causes serious eye irritation
	H335	May cause respiratory irritation
NFPA	health hazard	: 1 - Materials that, under emergency conditions, can cause significant irritation.
NFPA	fire hazard	: 1 - Materials that must be preheated before ignition can occur.
NFPA	reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hazard Rating	
Health	: 1 Slight Hazard - Irritation or minor reversible injury possible
Flammability	: 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.
Personal protection	: B
	B - Safety glasses, Gloves

#### Synerzine US

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product